24—25

FLANDRE
for unique expressions

maximum surfaces for unique expressions

24–25

FIANDRE
for unique expressions

maximum surfaces for unique expressions

ACTIVE SURFACES®

MARBLE ACTIVE

Calacatta Active 218
Calacatta Statuario Active 216
Pietra Grey Active 220

UNI ACTIVE

Uni Ice Active 222

PIETRA DI BASALTO ACTIVE

Basalto Beige Active 226
Basalto Bianco Active 224
Basalto Grigio Active 230
Basalto Moro Active 228
Basalto Nero Active 232

URBAN ACTIVE

Urban Dove Active 240
Urban Grey Active 238
Urban Ivory Active 236
Urban White Active 234

INNOVATIVE MARBLE

MARMI MAXIMUM

Alpi Chiaro Venato Maximum 118
Amazonite Maximum 124
Apuano Purissimo Maximum 34
Arabescato Orobico Maximum 82
Arabescato Orobico A/B Maximum 84
Bardiglio Sublime Maximum 100
Blue Tempest Maximum 94
Blue Tempest A/B Maximum 96
Breccia Imperiale Maximum 90
Breccia Mirabile Maximum 64
Breccia Sarda Maximum 66
Bright Onyx Maximum 32
Calacatta Maximum 56
Calacatta A/B Maximum 58
Calacatta Bellissimo Maximum 44
Calacatta Dorato Maximum 60
Calacatta Statuario Maximum 40
Calacatta Statuario A/B Maximum 42
Camouflage Maximum 78
Cremo Superiore Maximum 48
Dama Bianca Maximum 46
Dark Marquina Maximum 116
Deep Emperador Maximum 88
Divine Blue Maximum 104
Divine Blue A/B Maximum 106
Ethereal Travertino Maximum 68
Glam Bronze Maximum 86
Gold Onyx Maximum 70
Invisible Maximum 50
Irish Green Maximum 122
Lepanto Rubino Maximum 92
Majestic Onyx Maximum 114
Marbre De Savoie Maximum 98
Nebula Grigia Maximum 80
Nero Damascato Maximum 112
Palissandro White Maximum 62
Panda White Maximum 52
Patagonia Maximum 72
Patagonia A/B Maximum 74
Pietra Grey Maximum 108
Premium White Maximum 36
Premium White A/B Maximum 38
Pure Calacatta Maximum 54
Sahara Noir Maximum 110
Silver Root Maximum 102
Taxos Maximum 30
Travertino Maximum 76
Verde Fantastico Maximum 120
White Beauty Maximum 126

INNOVATIVE GRANITE

GRANITI MAXIMUM

Alaska White Maximum 128
Celeste Aran Maximum 130
Deep Norway Maximum 134
Labradorite Maximum 132

INNOVATIVE STONE

AION MAXIMUM

Black Aion Maximum 202
Grey Aion Maximum 200
White Aion Maximum 198

FJORD MAXIMUM

Black Fjord Maximum 180
Grey Fjord Maximum 178
White Fjord Maximum 176

MEGALITH MAXIMUM

Megablack Maximum 190
Megabrown Maximum 186
Megagrey Maximum 188
Megagreige Maximum 184
Megawhite Maximum 182

PIETRE MAXIMUM

Jatoba Brown Maximum 174
Luna Limestone Maximum 168
Quarzite Vals Maximum 170
Roccia Di Lucca Maximum 172

QUIETSTONES MAXIMUM

Quiet Numb Maximum 194
Quiet Rock Maximum 196
Quiet Sand Maximum 192

INNOVATIVE IMPULSE

BALANCE

Azure 152
Chester Green 148
Ivory 140
Light Grey 150
Marsala Red 146
Nude 142
Ochre 144
Steel Blue 154

DATAUNI MAXIMUM

000.Uni Ice Maximum 136
300.Uni Pepper Maximum 138

LUCE / By Guillermo Mariotto

Luce Gold 166
Luce Pearl 162
Luce Silver 164

SELENITE MAXIMUM

Selenite Black Maximum 160
Selenite Greige Maximum 158
Selenite White Maximum 156

INNOVATIVE CEMENT

ASTER MAXIMUM

Mercury Maximum 206
Moon Maximum 208
Venus Maximum 204


HQ.RESIN MAXIMUM

Cinder Resin Maximum 212
Dark Resin Maximum 214
White Resin Maximum 210


TECHNICAL INFORMATION

SapienStone Codes 242/243
Physical properties 244
Safe System 245
Active 246/247
Technical notes 248
Variations in appearance 248
Cleaning and maintainance 248
Degree of colour change 249
Environment Information 249
Certifications 250/251
General sales conditions 252/255

12/20 mm



6 mm



320x160 cm 126”x63”

Marmi Maximum 30
Graniti Maximum - Alaska White 128
Balance 140
Pietre Maximum - Jatoba Brown 168
Aion Maximum 198

300x150 cm 120”x60”

Marmi Maximum 30
Graniti Maximum 128
DataUni Maximum 136
Selenite Maximum 156
Pietre Maximum - Jatoba Brown 168
Aion Maximum 198
Marble Active 216
Uni Active 222
Urban Active 234

150x75 cm 60”x30”

Marmi Maximum 30
Graniti Maximum 128
DataUni Maximum 136
Selenite Maximum 156
Pietre Maximum - Jatoba Brown 168
Aion Maximum 198

150x150 cm 60”x60”

Marmi Maximum 30
Graniti Maximum 128
DataUni Maximum 136
Selenite Maximum 156
Pietre Maximum - Jatoba Brown 168
Aion Maximum 198

75x75 cm 30”x30”

Marmi Maximum 30
Graniti Maximum 128
DataUni Maximum 136
Selenite Maximum 156
Pietre Maximum - Jatoba Brown 168
Aion Maximum 198

75x37,5 cm 30”x15”

Marmi Maximum 30
Graniti Maximum 128
DataUni Maximum 136
Selenite Maximum 156
Pietre Maximum - Jatoba Brown 168
Aion Maximum 198

300x100 cm 120”x40”

DataUni Maximum 136
Pietre Maximum - Luna Limestone 168
Pietre Maximum - Quarzite Vals 170
Pietre Maximum - Roccia Di Lucca 172
Fjord Maximum 176
Megalith Maximum 182
Quietstones Maximum 192
Aster Maximum 204
Urban Active Maximum 234
Hq Resin Maximum 210
Pietra Di Basalto Active 224
Luce / By Guillermo Mariotto 162

150x100 cm 60”x40”

DataUni Maximum 136
Fjord Maximum 176
Megalith Maximum 182
Quietstones Maximum 192
Aster Maximum 204
Hq Resin Maximum 210

100x100 cm 40”x40”

DataUni Maximum 136
Pietre Maximum - Luna Limestone 168
Pietre Maximum - Quarzite Vals 170
Pietre Maximum - Roccia Di Lucca 172
Fjord Maximum 176
Megalith Maximum 182
Quietstones Maximum 192
Aster Maximum 204
Hq Resin Maximum 210
Pietra Di Basalto Active 224
Urban Active 234
Luce / By Guillermo Mariotto 162

270x120 cm 108”x48”

Marmi Maximum - Bright Onyx 32
Marmi Maximum - Premium White 36
Marmi Maximum - Calacatta Statuario 40
Marmi Maximum - Calacatta Bellissimo 44
Marmi Maximum - Pure Calacatta 54
Marmi Maximum - Pietra Grey 108
Marmi Maximum - Sahara Noir 110
Marmi Maximum - Dark Marquina 116
Marmi Maximum - Alpi Chiaro Venato 118
Balance 140
Pietre Maximum - Luna Limestone 168
Pietre Maximum - Quarzite Vals 170
Pietre Maximum - Roccia Di Lucca 172
Aion Maximum 198

120x120 cm 48”x48”

Marmi Maximum - Premium White 36
Marmi Maximum - Calacatta Statuario 40
Marmi Maximum - Pure Calacatta 54
Marmi Maximum - Pietra Grey 108
Marmi Maximum - Sahara Noir 110
Marmi Maximum - Dark Marquina 116
Marmi Maximum - Alpi Chiaro Venato 118
Pietre Maximum - Luna Limestone 168
Pietre Maximum - Quarzite Vals 170
Pietre Maximum - Roccia Di Lucca 172
Aion Maximum 198

ACTIVE

MARBLE ACTIVE

Calacatta Active 218
Calacatta Statuario Active 216
Pietra Grey Active 220

PIETRA DI BASALTO ACTIVE

Basalto Beige Active 226
Basalto Bianco Active 224
Basalto Grigio Active 230
Basalto Moro Active 228
Basalto Nero Active 232

UNI ACTIVE

Uni Ice Active 222

URBAN ACTIVE

Urban Dove Active 240
Urban Grey Active 238
Urban Ivory Active 236
Urban White Active 234+

FEEL

MARMI MAXIMUM

Camouflage Maximum 78

FLAMED

PIETRE MAXIMUM

Luna Limestone Maximum 168
Quarzite Vals Maximum 170
Roccia Di Lucca Maximum 172

GLINT

MARMI MAXIMUM

Palissandro White Maximum 62
Panda White Maximum 52

GRANITI MAXIMUM

Deep Norway Maximum 134
Labradorite Maximum 132

JEWEL

SELENITE MAXIMUM

Selenite Black Maximum 160
Selenite Greige Maximum 158
Selenite White Maximum 156

METAL

LUCE / By Guillermo Mariotto

Luce Gold 166
Luce Pearl 162
Luce Silver 164

NATURAL PLUS

GRANITI MAXIMUM

Alaska White Maximum 128
Celeste Aran Maximum 130

MARMI MAXIMUM

Breccia Imperiale Maximum 90
Breccia Sarda Maximum 66

BALANCE

Azure 152
Chester Green 148
Ivory 140
Light Grey 150
Marsala Red 146
Nude 142
Ochre 144
Steel Blue 154

FJORD MAXIMUM

Black Fjord Maximum 180
Grey Fjord Maximum 178
White Fjord Maximum 176

NATURAL

AION MAXIMUM

Black Aion Maximum 202
Grey Aion Maximum 200
White Aion Maximum 198

ASTER MAXIMUM

Mercury Maximum 206
Moon Maximum 208
Venus Maximum 204

DATAUNI MAXIMUM

000.Uni Ice Maximum 136
300.Uni Pepper Maximum 138

HQ.RESIN MAXIMUM

Cinder Resin Maximum 212
Dark Resin Maximum 214
White Resin Maximum 210

MARMI MAXIMUM

Alpi Chiaro Venato Maximum 118
Apuano Purissimo Maximum 34
Bardiglio Sublime Maximum 100
Breccia Mirabile Maximum 64
Bright Onyx Maximum 32
Calacatta Maximum 56
Calacatta Bellissimo Maximum 44
Calacatta Statuario Maximum 40
Cremo Superiore Maximum 48
Dama Bianca Maximum 46
Patagonia Maximum 72
Pietra Grey Maximum 108
Premium White Maximum 36
Pure Calacatta Maximum 54
Silver Root Maximum 102
Taxos Maximum 30
Travertino Maximum 76

MEGALITH MAXIMUM

Megablack Maximum 190
Megabrown Maximum 186
Megagrey Maximum 188
Megagreige Maximum 184
Megawhite Maximum 182

POLISHED

DATAUNI MAXIMUM

000.Uni Ice Maximum 136
300.Uni Pepper Maximum 138

MARMI MAXIMUM

Alpi Chiaro Venato Maximum 118
Amazonite Maximum 124
Apuano Purissimo Maximum 34
Arabescato Orobico Maximum 82
Bardiglio Sublime Maximum 100
Blue Tempest Maximum 94
Breccia Mirabile Maximum 64
Bright Onyx Maximum 32
Calacatta Maximum 56
Calacatta Bellissimo Maximum 44
Calacatta Dorato Maximum 60
Calacatta Statuario Maximum 40
Cremo Superiore Maximum 48
Dark Marquina Maximum 116
Deep Emperador Maximum 88
Divine Blue Maximum 104
Ethereal Travertino Maximum 68
Glam Bronze Maximum 86
Gold Onyx Maximum 70
Invisible Maximum 50
Irish Green Maximum 122
Lepanto Rubino Maximum 92
Majestic Onyx Maximum 114
Marbre De Savoie Maximum 98
Nebula Grigia Maximum 80
Nero Damascato Maximum 112
Pietra Grey Maximum 108
Premium White Maximum 36
Pure Calacatta Maximum 54
Sahara Noir Maximum 110
Silver Root Maximum 102
Taxos Maximum 30
Travertino Maximum 76
Verde Fantastico Maximum 120
White Beauty Maximum 126

SILKY

MARMI MAXIMUM

Dark Marquina Maximum 116
Glam Bronze Maximum 86
Nebula Grigia Maximum 80
Nero Damascato Maximum 112
Pietra Grey Maximum 108
Premium White Maximum 36
Sahara Noir Maximum 110

STRUCTURED

QUIETSTONES MAXIMUM

Quiet Numb Maximum 194
Quiet Rock Maximum 196
Quiet Sand Maximum 192

TOP LAPPED

GRANITI MAXIMUM

Alaska White Maximum 128
Celeste Aran Maximum 130

PIETRE MAXIMUM

Jatoba Brown Maximum 174

MARMI MAXIMUM

Patagonia Maximum 72

COLOR SHADE INDEX

APUANO PURISSIMO p. 34

TAXOS p. 30


CREMO SUPERIORE p. 48



CALACATTA DORATO p. 60

ETHEREAL TRAVERTINO p. 68


PURE CALACATTA p. 54

BRIGHT ONYX p. 32



SELENITE WHITE p. 156


OCHRE p. 144

000.UNI ICE p. 136


MEGAWHITE p. 182

WHITE RESIN p. 210


PALISSANDRO WHITE p. 62



PATAGONIA p. 72


BRECCIA SARDA p. 66


PANDA WHITE p. 52


BARDIGLIO SUBLIME p. 100


MARBRE DE SAVOIE p. 98


LUCE PEARL p. 162



CALACATTA p. 56

DAMA BIANCA p. 46


LIGHT GREY p. 150


LUNA LIMESTONE p. 168



GOLD ONYX p. 70


ALASKA WHITE p. 128


SELENITE GREIGE p. 158


NEBULA GRIGIA p. 80


CALACATTA BELLISSIMO p. 44


INVISIBLE p. 50



WHITE FJORD p. 176


QUIET SAND p. 192


NUDE p. 142



MEGAGREY p. 188


CELESTE ARAN p. 130


BRECCIA MIRABILE p. 64


CALACATTA STATUARIO p. 40

PREMIUM WHITE p. 36


WHITE AION p. 198

IVORY p. 140


TRAVERTINO p. 76


SIVER ROOT p. 102


GREY AION p. 200


GREY FJORD p. 178


MARSALA RED p. 146

COLOR SHADE INDEX


MEGAGREIGE p. 184


CAMOUFLAGE p. 78


CINDER RESIN p. 212



MERCURY p. 206


ARABESCATO OROBICO p. 82


DEEP EMPERADOR p. 88


AZURE p. 152



AMAZONITE p. 124


BRECCIA IMPERIALE p. 90


LUCE GOLD p. 166



QUIET NUMB p. 194


MEGABROWN p. 186


LEPANTO RUBINO p. 92



LUCE SILVER p. 164


STEEL BLUE p. 154



VERDE FANTASTICO p. 120


DARK RESIN p. 214



QUARZITE VALS p. 170


MEGABLACK p. 190


JATOBA BROWN p. 174


WHITE BEAUTY p. 126


CHESTER GREEN p. 148



ALPI CHIARO VENATO p. 118


PIETRA GREY p. 108


BLUE TEMPEST p. 94



DIVINE BLUE p. 104



LABRADORITE p. 132


SELENITE BLACK p. 160


QUIET ROCK p. 196



NERO DAMASCATO p. 112



BLACK FJORD p. 180


MAJESTIC ONYX p. 114



MOON p. 208


GLAM BRONZE p. 86


ROCCIA DI LUCCA p. 172


IRISH GREEN p. 122


SAHARA NOIR p. 110



BLACK AION p. 202


DEEP NORWAY p. 134


300.UNI PEPPER p. 138


DARK MARQUINA p. 116

BOOK-MATCH



CAL. STATUARIO / A CAL. STATUARIO / B p. 42

PREMIUM WHITE / A PREMIUM WHITE / B p. 38



CALACATTA / A CALACATTA / B p. 58




ARAB. OROBICO / A ARAB. OROBICO / B p. 84



BLUE TEMPEST / A BLUE TEMPEST / B p. 96



PATAGONIA / A PATAGONIA / B p. 74



DIVINE BLUE / A DIVINE BLUE / B p. 104

FLANDRE
for unique expressions

let's start

Fiandre for unique expressions

EN

Fiandre is an Italian benchmark for porcelain stoneware and a solid point of reference for advanced sustainable solutions in the high-end architecture and design field.

The variety of surfaces, sizes, thicknesses, features and designs, along with bespoke, professional services, allow architects and designers to meet their clients' desire for uniqueness, matching their own style and intuitions.

IT

Fiandre, eccellenza italiana del gres porcellanato, è un solido punto di riferimento per soluzioni evolute e sostenibili nel campo dell'architettura e del design di alto profilo.

La varietà di superfici, dimensioni, spessori, caratteristiche e design, insieme a servizi a misura di professionista, consentono ad architetti e designer di assecondare il desiderio di unicità dei propri committenti, secondo il proprio stile e le proprie intuizioni.



EN

An integral part of Iris Ceramica Group and a key player in the international ceramics market, Fiandre stands out for its ability to innovate.

With its long-standing tradition and extensive technical competence, the company invests in pioneering systems to rapidly improve the performance and identity of its products. The variety of materials on offer helps designers to express their own vision in a more precise and customised way.

IT

Come parte integrante di Iris Ceramica Group e protagonista del panorama ceramico internazionale, Fiandre si distingue per la sua capacità di innovare.

Forte di una lunga tradizione e di una profonda competenza tecnica, l'azienda investe in sistemi all'avanguardia migliorando rapidamente le performance e l'identità dei propri prodotti. La varietà di materiali offerti consente ai progettisti di esprimere la propria visione in modo più preciso e personalizzato.

Bringing life to designs that showcase the unique expressions of designers and clients.

Rendere concreti progetti che esaltino le espressioni di unicità di progettisti e committenti.






FR | DE | ES
Versions

Pioneering and traditional surfaces and solutions

FR|DE|ES
Versions



Superfici e soluzioni tra avanguardia e tradizione

EN

Our collections multiply design potential with a wide range of colours and finishes. The Group has adopted systems that produce safe and ecological porcelain stoneware surfaces in both classic formats and extra-large, reduced-thickness slabs. These include the large Maximum slabs – already widely used in major projects around the world – that combine high technical performance, visual impact and extraordinary versatility. Renewing the “full-bodied” technique, we pay homage to tradition, reviving an innovatively smooth, compact and indestructible material that maintains its initial appearance throughout its thickness, even in the event of wear or damage.

IT

Le nostre collezioni moltiplicano le potenzialità dei progetti grazie a una ricca proposta di colori e finiture. I sistemi a disposizione del Gruppo permettono di produrre superfici in gres porcellanato, sicure ed ecologiche, tanto nei formati classici, quanto in quelli extra-large e a spessore ridotto. Tra queste spiccano le grandi lastre Maximum - già ampiamente utilizzate in progetti di rilievo a livello globale - che uniscono alte performance tecniche, un importante impatto visivo e una straordinaria versatilità applicativa. Il rinnovo della tecnica “full-bodied” è un omaggio alla tradizione che riporta alla luce una materia innovativa omogenea, compatta, indistruttibile, in grado di mantenere l’aspetto iniziale in tutto il suo spessore anche in caso di usura e danneggiamento.





Improving design solutions consolidates our role as partner.

Migliorare le soluzioni di design consolida il nostro ruolo di partner.

EN

Today, Fiandre ceramic solutions go way beyond traditional use: in addition to floor and wall coverings and external façades, they can become furnishing materials, exclusive architectural details and accessories underlining the beauty and function of spaces. This is just one of the reasons why prestigious national and international brands and famous designers and architects choose Fiandre as a partner: we work with them to ensure that every project expresses the uniqueness of its creator.

IT

Oggi, le soluzioni ceramiche Fiandre vanno oltre il tradizionale utilizzo: oltre a rivestimenti di pavimenti, pareti e facciate esterne, possono diventare materiali d’arredo, dettagli architettonici esclusivi e accessori che esaltano l’estetica e la funzionalità degli spazi. Anche per questo prestigiosi marchi nazionali e internazionali, così come rinomati designer e architetti, scelgono Fiandre come partner: siamo al loro fianco per assicurarci che ogni progetto esprima l’unicità di chi gli dà vita.


Iris Ceramica Group: A history that looks to the future

Iris Ceramica Group: una storia che guarda al futuro.

Sostenibilità, innovazione e qualità d'eccellenza per superfici ceramiche all'avanguardia.

Sustainability, innovation and excellent quality for pioneering ceramic surfaces.





Iris Ceramica Group is a world benchmark in the design and development of high-end natural ceramic surfaces.

With over 60 years of business experience, the Group is present in over one hundred countries, with a very clear mission: to re-engineer ceramics to improve interaction between humans and the environment.

EN

Iris Ceramica Group è punto di riferimento mondiale per il design e per lo sviluppo di superfici naturali in ceramica di alta gamma.

Con oltre 60 anni di esperienza imprenditoriale, il Gruppo è presente in più di cento Paesi, con una Mission ben precisa: reingegnerizzare la ceramica per migliorare l'interazione uomo-ambiente.

IT

FR | DE | ES
Versions

EN

Iris Ceramica Group is an Ecopreneur, because responsible production is a real priority, as demonstrated in over half a century of concrete commitment to sustainability.
"Economy = Ecology" is the principle that has been underlining how responsible and sustainable production is a priority for Iris Ceramica Group since the 1960s.

Protecting the environment and reducing pollution are fundamental goals for achieving ambitious targets in the field of sustainable development and architecture.

Iris Ceramica Group measures its commitment to sustainability according to three ESG criteria: environmental, social and corporate governance, and for years it has been applying energy saving solutions to safeguard the environment, developing and investing in the related best practices.
.

IT

Iris Ceramica Group è Ecopreneur, perché la produzione responsabile è una reale priorità, come dimostrano oltre mezzo secolo di impegno concreto nella sostenibilità.
"Economia = Ecologia" è il principio che fin dagli anni '60 indica che la produzione responsabile e sostenibile è una priorità per Iris Ceramica Group.

La tutela dell'ambiente e la riduzione dell'inquinamento sono obiettivi fondamentali per raggiungere ambiziosi traguardi nell'ambito dello sviluppo e dell'architettura sostenibile.

Iris Ceramica Group misura il proprio impegno verso la sostenibilità secondo i tre criteri ESG: ambientale, sociale e di corporate governance e da anni applica soluzioni mirate al risparmio energetico per la salvaguardia dell'ambiente, sviluppando e investendo nelle migliori pratiche in materia.

A clear mission: to re-engineer ceramics to improve interaction between humans and the environment.

Una mission precisa: reingegnerizzare la ceramica per migliorare l'interazione uomo-ambiente.



Certifications

The commitment of the Group we belong to has helped us to obtain major material and process certifications, including Cradle to Cradle Silver - one of the most ambitious global standards for the design and manufacture of safe, circular and responsible products – and the inclusion in the Declare Label declaration, which confirms that our materials are 'Red List Free', in other words they contain no chemical substances that are harmful to human health and the ecosystem.

Certificazioni

L'impegno del Gruppo di cui facciamo parte ci ha permesso di ottenere importanti certificazioni sia di processo sia sui materiali come il Cradle to Cradle Silver - uno degli standard globali più ambiziosi per la progettazione e la realizzazione di prodotti sicuri, circolari e responsabili – e l'inserimento nella dichiarazione Declare Label, attestando che i nostri materiali sono 'Red List Free', ossia privi di sostanze chimiche rischiose per la salute umana e l'ecosistema.

CERTIFIED cradle to cradle

Declare.

FR|DE|ES
Versions

Innovators from the beginning

Being part of Iris Ceramica Group means benefiting from the technologies and innovations developed in the Group and its production sites to supply increasingly advanced and customised solutions.

EN


Iris Ceramica Group paves the way as Ecoinnovators: the propensity for innovation has always been part of the Group's DNA, and translates into attention to detail, revolutionary technical properties and unique ceramic finishes.

Bearing witness to this are the many pioneering solutions developed by the Group that Fiandre can offer with its own surfaces.

IT

Da sempre apripista, Iris Ceramica Group è infatti Ecoinnovatore: la propensione all'innovazione fa parte del DNA del Gruppo e si traduce nella cura dei dettagli, nelle proprietà tecniche rivoluzionarie e nelle finiture inedite delle superfici ceramiche.

Ne sono testimonianza le numerose soluzioni all'avanguardia sviluppate dal Gruppo che Fiandre può offrire con le proprie superfici.



Innovatori da sempre

Essere parte di Iris Ceramica Group significa beneficiare di tecnologie e innovazioni sviluppate all'interno del Gruppo e dei suoi stabilimenti produttivi per offrire soluzioni sempre più evolute e customizzate.

Moonlight

The Group's technological research has led to the production of a ceramic mixtures that emphasise translucence, enhancing the material even in the dark by creating appealingly sophisticated atmospheres.

Moonlight is a backlighting system that exploits this feature, coupling 6 mm thick ceramic surfaces with high-efficiency, reduced thickness light panels. Ideal for indoor use in residential, commercial and hospitality settings, Moonlight can be applied to coverings and, on request, to enhance furnishing components.

La ricerca tecnologica del Gruppo ha permesso di produrre un impasto ceramico che ne enfatizza la traslucenza, valorizzando il materiale anche al buio e creando atmosfere suggestive e raffinate.

Moonlight è il sistema di retroilluminazione che sfrutta questa caratteristica accoppiando superfici ceramiche in 6 mm di spessore con pannelli luminosi ad alta efficienza e dal ridotto spessore. Ideale per ambienti interni, residenziali, commerciali o per strutture di hospitality, Moonlight può essere applicato sia a rivestimento che, su richiesta, per valorizzare componenti d'arredo.

Attract

Attract is a pioneering magnetic dry laying system developed by the Business Unit Granitech. The system consists of slabs that are made magnetic, ready to be laid to create a continuous surface, without the use of glues or supporting structures.

The removal of each slab is also quick, easy and circular, without the need for demolition. The materials can therefore be used infinitely, and the magnetic base can be reused over and over again, cut and re-assembled without losing any of its effectiveness.

Attract is a patented technology that opens new horizons for ceramics while respecting circularity principles. It is an outstanding, concrete example of the power of aware design, in line with Iris Ceramica Group's ESG values.
(Magnetic laying system licensed by MagFace)

EN

Attract è una soluzione all'avanguardia di posa magnetica a secco, sviluppata dalla Business Unit Granitech. Il sistema è composto da lastre rese magnetiche, già pronte per essere accostate al fine di realizzare una superficie continua, senza l'utilizzo di collanti e strutture di sostegno.

Facile, veloce e circolare è anche la rimozione di ogni singola lastra senza che sia necessaria la demolizione. I materiali si possono pertanto riusare all'infinito così come la base magnetica può essere riutilizzata infinite volte, tagliata e riassemblata senza perdere la propria efficacia.

Attract è una tecnologia brevettata che apre nuove prospettive alla ceramica nel rispetto dei principi di circolarità. È un esempio concreto e dirompente del potere della progettazione consapevole, in linea con i valori ESG di Iris Ceramica Group.
(Magnetic laying system licensed by MagFace)

IT

FR|DE|ES
Versions



Active Surfaces®

EN

Since 2009, Active Surfaces® technology has been combining design, science and creativity to bring life to surfaces marked not only by innovation, sustainability and beauty, but which also embody a very profound value: to serve humans while fully respecting the environment.

Eco-active Active Surfaces® materials
have four properties:
- Antibacterial and antiviral (even against Covid-19)
- Anti-pollution
- Anti-odour
- Self-cleaning

IT

Dal 2009 la tecnologia di ActiveSurfaces® combina design, scienza e creatività dando vita a superfici che non solo si caratterizzano per innovazione, sostenibilità ed estetica, ma che racchiudono un profondo valore: essere al servizio dell'uomo nel rispetto dell'ambiente.

I materiali eco-attivi ActiveSurfaces®
presentano quattro proprietà:
- Antibatterica e antivirale (ancheanti-Covid-19)
- Antinquinamento
- Anti-odore
- Autopulente



Hypertouch

Hypertouch is the innovative capacitive surface that enhances design functions beyond the imagination. Equipped with a concealed technology, by lightly touching the Hypertouch surface, an integrated system of home-automation sensors is activated, to switch lighting and audio-video systems on and off, control doors and windows and set the room temperature.


Hypertouch exalts the design and continuity of the material, eliminating unsightly cover plates and external switches.

Hypertouch è l'innovativa superficie capacitiva che potenzia le funzionalità del design oltre l'immaginazione. Grazie a una tecnologia a scomparsa, sfiorando leggermente la superficie Hypertouch, si attiva un sistema integrato di sensori domotici per l'accensione e lo spegnimento di impianti di illuminazione, audio-video, serramenti, controllo della temperatura.

Hypertouch esalta il design e la continuità della materia, eliminando placche e interruttori esterni antiestetici.

St. Sarkis Armenian Church, Carrollton (Texas)
by David Hotson Architect





DYS
Design Your Slabs

EN

Design Your Slabs is the innovative technology that offers the possibility to customise ceramic surfaces with any image or illustration. With Design Your Slabs there are no limits to the imagination and the most creative ideas take shape, right down to the finest detail, to produce unique ceramic surfaces. The surface becomes a blank canvas on which technology and creativity are combined according to the designer's flair, bringing life to authentic ceramic art works.

IT

Design Your Slabs è l'innovativa tecnologia che offre la possibilità di personalizzare le superfici ceramiche con qualsiasi immagine o illustrazione. Con Design Your Slabs l'immaginazione non ha limiti e le idee più creative prendono forma, fin nei minimi dettagli, per la realizzazione di superfici ceramiche uniche. La lastra diventa una tela bianca su cui tecnologia e creatività si combinano, secondo l'estro del designer, dando vita ad una vera e propria opera d'arte in ceramica.

FR|DE|ES
Versions





Ceramica 4D

EN

Iris Ceramica Group's research into technological innovation has taken another step forward in the re-engineering of ceramics, taking the material to a higher and totally unique level of development. The Iris Ceramica Group full-body technology has been further developed, bringing life to a technologically advanced surface with no rivals on the market. Iris Ceramica Group has taken ceramics to a new dimension: 4D. As in nature, the 4D Ceramic surface is stratified, and becomes granitic. Solid as a rock, composed of natural minerals, using a pioneering production process, in 12 and 20 mm thickness it withholds all its history and the elements from which life originates: water, fire and earth.
To the eye, the result is a ceramic surface that maintains the same surface decoration throughout the thickness, so recreating natural grains, colour shades, geometric patterns, totally eliminating any distinction between the surface and the edge. Ideal for applications that reveal the surface in all its dimensions. Sapienstone is the Iris Ceramica Group brand that best translates the expressive potential of the new ceramic dimension, blazing a new trail for talking about furnishings.

IT

La ricerca in innovazione tecnologica di Iris Ceramica Group ha compiuto un nuovo passo avanti nel reingegnerizzare la ceramica, portando il materiale a uno stadio evolutivo superiore e totalmente inedito. La tecnologia full-body di Iris Ceramica Group è stata ulteriormente perfezionata fino a dare vita a una superficie tecnologicamente evoluta che non ha eguali sul mercato. Iris Ceramica Group ha portato la ceramica a una nuova dimensione: il 4D.
Come in natura, la superficie Ceramica 4D si stratifica e diventa granitica. Solida come roccia, composta da minerali naturali, grazie al suo processo produttivo all'avanguardia racchiude in 12 e 20 mm di spessore tutta la storia e gli elementi che danno origine alla vita: l'acqua, il fuoco e la terra.
Alla vista, il risultato è una superficie ceramica che contiene nel suo spessore la stessa decorazione superficiale, ricreando quindi venature naturali, sfumature di colore, disegni geometrici o pattern, annullando totalmente la distinzione tra superficie e bordo. Ideale per applicazioni che rivelino la superficie in tutte le sue dimensioni.


SapienStone, è il brand di Iris Ceramica Group in grado di tradurre al meglio le potenzialità espressive della nuova dimensione ceramica, facendosi precursore di un nuovo modo di raccontare l'arredo.

Iris Ceramica Group's innovative technologies are perfectly compatible with Fiandre surfaces: only a range of totally custom creative and production resources can offer a voice to the unique expression of professionals, as we understand their professional needs and implement pioneering, ambitious ideas.

Le tecnologie innovative di Iris Ceramica Group nascono per essere integrate alle superfici Fiandre e per essere compatibili tra loro: solo una gamma di risorse creative e produttive totalmente custom può dare voce all'unicità espressiva dei professionisti, di cui comprendiamo le esigenze professionali e realizziamo le idee pionieristiche e ambiziose.








Determination, values, actions a virtuous path of concrete projects

Iris Ceramica Group’s Hub and specialist units are incubators of unique solutions and services.

Volontà, valori, azioni
Un percoso virtuoso fatto di progetti concreti.

Hub e unità specializzate di Iris Ceramica Group come incubatori di soluzioni e servizi inediti.





ICG RenaisScience Hub


Iris Ceramica Group’s pioneering approach has also led to the establishment of the new “ICG RenaisScience Hub” technological and scientific centre in partnership with the Design Department of the Politecnico di Milano: a tangible example of the holding’s clear mission. A space where science is applied to ceramics to develop unique projects and solutions. The innovation hub aims to develop integrated solutions for and with ceramics, with a special focus on logistics and packaging systems.

Dall’approccio pionieristico di Iris Ceramica Group è nato il nuovo centro tecnologico e scientifico “ICG RenaisScience Hub” in collaborazione con il Dipartimento di Design del Politecnico di Milano: esempio tangibile della chiara Mission della holding. Uno spazio dove la scienza viene applicata alla ceramica per sviluppare progetti e soluzioni inedite. Il polo dell’innovazione avrà come obiettivo lo sviluppo di soluzioni integrate alla ceramica e per la ceramica, con particolare attenzione al sistema della logistica e del packaging.

FR|DE|ES
Versions

EN

IT



ICG Atelier

The Iris Ceramica Group creative laboratory where creativity meets innovation and tailor-made tradition: ICG Atelier is an example of excellence, where ceramic know-how blends with art and experimentation, bringing life to unique pieces that meet the demands of the most discerning customers. With its exclusive ceramic creations, it is an example of a unicum in the art of ceramic processing.

Il laboratorio creativo di Iris Ceramica Group dove la creatività incontra l’innovazione e la tradizione tailor-made: ICG Atelier è un esempio di eccellenza dove il saper fare ceramico si unisce all’arte e alla sperimentazione, per dare vita a pezzi unici in grado di soddisfare le richieste dei clienti più esigenti. Con le sue realizzazioni in ceramica esclusive è esempio di un unicum nell’arte della lavorazione della ceramica.



ICG Design

ICG Design provides high-end architectural and interior design services that integrate creativity and function. With its custom approach, the ICG Design team works in close contact with clients to transform visions and ideas into concrete projects. Using cutting-edge software and 3D viewing techniques, ICG Design presents detailed projects to facilitate the visual understanding and choice of materials, ensuring that each space is not only aesthetically pleasing but also perfectly functional.

ICG Design offre servizi di progettazione architettonica e d’interni di alto livello, integrando creatività e funzionalità. Con un approccio personalizzato, il team di ICG Design lavora a stretto contatto con i clienti per trasformare visioni e idee in realtà tangibili. Utilizzando software all’avanguardia e tecniche di visualizzazione 3D, ICG Design è in grado di presentare progetti dettagliati che facilitano la comprensione visiva e la scelta dei materiali, assicurando che ogni spazio sia non solo esteticamente piacevole ma anche perfettamente funzionale.



Granitech e Technoriunite

Iris Ceramica Group has two special business units providing surface installation solutions. In particular, Granitech is the division specialised in dry applications, including ventilated façades and raised floors, as well as the brand new Attract technology. Technoriunite on the other hand is specialised in glued laying systems. These key companies, which both have consolidated experience in national and international sites, cover all the project phases from design to installation, and can also provide turnkey services.

Iris Ceramica Group vanta la presenza di due business unit dedicate alle soluzioni di installazione delle superfici. In particolare, Granitech è la divisione specializzata in applicazioni a secco, come facciate ventilate e pavimenti sopraelevati fino alla neonata tecnologia Attract. Technoriunite invece è l’unità specializzata nei sistemi di posa incollati. Queste importanti realtà, entrambe con una storia consolidata nella cantieristica nazionale e internazionale, coprono tutte le fasi di progetto, dalla progettazione all’installazione, con la possibilità di offrire servizi chiavi in mano.

EN

IT

FIANDRE
for unique expressions

FR | DE | ES
Versions

For more information, consult the website:

Sustainability And Certifications
www.irisceramicagroup.com/en/sustainability/corporate-social-responsibility/

Moonlight / Attract / Hypertouch / Dys / Ceramica 4D
www.irisceramicagroup.com/en/innovation/

Active Surfaces®
www.active-surfaces.com/en/

Granitech
www.granitech.com

Technoriunite
www.technoriunite.it

collections

TAXOS

Available in CLASSIC SIZES

Taxos Natural

6 mm | R9* | natural | V2

6 mm	Natural	Polished
300x150 cm 120"x60"	**MMS261530**	**MML261530**
150x150 cm 60"x60"	**MMS261515**	**MML261515**
150x75 cm 60"x30"	**MMS26715**	**MML26715**
75x75 cm 30"x30"	**MMS2677**	**MML2677**
75x37,5 cm 30"x15"	**MMS2673**	**MML2673**

Available Faces



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

BRIGHT ONYX

Available in SAPIENSTONE

Bright Onyx Polished




6/12 mm | natural | V3

6 mm	Natural	Polished
300x150 cm 120"x60"	**MMS2461530**	**MML2461530**
270x120 cm 108"x48"	**-**	**MML2462712**
150x150 cm 60"x60"	**MMS2461515**	**MML2461515**
150x75 cm 60"x30"	**MMS246715**	**MML246715**
75x75 cm 30"x30"	**MMS24677**	**MML24677**
75x37,5 cm 30"x15"	**MMS24673**	**MML24673**

SAPIENSTONE

12 mm **	Natural	Polished
320x160 cm 126"x63"	**SSH3216513G**	**SSP3216513G**

6 mm Thick Available Faces







pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.


APUANO PURISSIMO

6 mm | R9* | natural | V3

6 mm	Natural	Polished
300x150 cm 120"x60"	**MMS8461530**	**MML8461530**
150x150 cm 60"x60"	**MMS8461515**	**MML8461515**
150x75 cm 60"x30"	**MMS846715**	**MML846715**
75x75 cm 30"x30"	**MMS84677**	**MML84677**
75x37,5 cm 30"x15"	**MMS84673**	**MML84673**

Available Faces





Apuano Purissimo Natural



pag 248 / **VARIETY AND BOOK-MATCHING**
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

PREMIUM WHITE

Available in CLASSIC SIZES | SAPIENSTONE

6/12 mm | R9* natural | V3

6 mm	Natural	Silky	Polished
300x150 cm 120"x60"	**MMS3361530**	**MMH3361530**	**MML3361530**
270x120 cm 108"x48"	**MMS3362712**	**MMH3362712**	**MML3362712**
150x150 cm 60"x60"	**MMS3361515**	**MMH3361515**	**MML3361515**
120x120 cm 48"x48"	**MMS336120**	**MMH336120**	**MML336120**
150x75 cm 60"x30"	**MMS336715**	**MMH336715**	**MML336715**
75x75 cm 30"x30"	**MMS33677**	**MMH33677**	**MML33677**
75x37,5 cm 30"x15"	**MMS33673**	**MMH33673**	**MML33673**

SAPIENSTONE

12 mm **	Natural	Polished
320x160 cm 126"x63"	**SSH3216514G**	**SSP3216514G**

6 mm Thick Available Faces





Premium White Natural | Polished



INNOVATIVE MARBLE

pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.


** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.

PREMIUM WHITE A/B

6 mm V3

6 mm	Polished **A**	Polished **B**
300x150 cm 120"x60"	**MML3461530**	**MML3561530**





A B

pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

CALACATTA STATUARIO

Available in CLASSIC SIZES | ACTIVE SURFACES® | SAPIENSTONE

6/12/20 mm | R9* | natural | V3

6 mm	Natural	Polished
300x150 cm 120"x60"	**MMS2661530**	**MML2661530**
270x120 cm 108"x48"	**MMS2662712**	**MML2662712**
150x150 cm 60"x60"	**MMS2661515**	**MML2661515**
120x120 cm 48"x48"	**MMS266120**	**MML266120**
150x75 cm 60"x30"	**MMS266715**	**MML266715**
75x75 cm 30"x30"	**MMS26677**	**MML26677**
75x37,5 cm 30"x15"	**MMS26673**	**MML26673**

SAPIENSTONE

12 mm **	Natural	Polished	Silky
320x160 cm 126"x63"	**SSH3216507W**	**SSP3216507W**	**SSY3216507W**

12 mm **	4D Cashmere	4D Polished
320x160 cm 126"x63"	**SSC3216507G**	**SSP3216507G**

20 mm **	4D Cashmere	4D Polished
320x160 cm 126"x63"	**SSC3216507G20**	**SSP3216507G20**

6 mm Thick Available Faces





Calacatta Statuario Polished



INNOVATIVE MARBLE

pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding. Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.

CALACATTA STATUARIO A/B

Available in SAPIENSTONE

6/12 mm


V3

6 mm	Polished **A**	Polished **B**
300x150 cm 120"x60"	**MML2761530**	**MML2861530**

SAPIENSTONE

12 mm **	Polished **A/B**	Silky **A/B**
320x160 cm 126"x63"	**SSP3216601G**	**SSY3216601G**





A B

pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.


CALACATTA BELLISSIMO

Available in CLASSIC SIZES

6 mm natural V3

6 mm	Natural	Polished
300x150 cm 120"x60"	**MMS5661530**	**MML5661530**
270x120 cm 108"x48"	**-**	**MML5662712**
150x150 cm 60"x60"	**MMS5661515**	**MML5661515**
150x75 cm 60"x30"	**MMS566715**	**MML566715**
75x75 cm 30"x30"	**MMS56677**	**MML56677**
75x37,5 cm 30"x15"	**MMS56673**	**MML56673**

Available Faces





pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

Calacatta Bellissimo Polished



DAMA BIANCA

Dama Bianca Natural | Selenite Greige Jewel | Breccia Mirabile Polished

6 mm | R9* | V3

6 mm	Natural
300x150 cm 120"x60"	**MMS32561530**
150x150 cm 60"x60"	**MMS32561515**
150x75 cm 60"x30"	**MMS3256715**
75x75 cm 30"x30"	**MMS325677**
75x37,5 cm 30"x15"	**MMS325673**

Available Faces



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.


* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

CREMO SUPERIORE

6 mm | R9* | natural | V3

6 mm	Natural	Polished
300x150 cm 120"x60"	**MMS14561530**	**MML14561530**
150x150 cm 60"x60"	**MMS14561515**	**MML14561515**
150x75 cm 60"x30"	**MMS1456715**	**MML1456715**
75x75 cm 30"x30"	**MMS145677**	**MML145677**
75x37,5 cm 30"x15"	**MMS145673**	**MML145673**

Available Faces





Cremo Superiore Natural | Nero Damascato Silky



INNOVATIVE MARBLE

pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

INVISIBLE

6 mm V3

6 mm	Polished
300x150 cm 120"x60"	**MML8161530**
150x150 cm 60"x60"	**MML8161515**
150x75 cm 60"x30"	**MML816715**
75x75 cm 30"x30"	**MML81677**
75x37,5 cm 30"x15"	**MML81673**

Available Faces





Invisible Polished



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

PANDA WHITE

6 mm V4

6 mm	Glint
300x150 cm 120"x60"	**MMG29061530**
150x150 cm 60"x60"	**MMG29061515**
150x75 cm 60"x30"	**MMG2906715**
75x75 cm 30"x30"	**MMG290677**
75x37,5 cm 30"x15"	**MMG290673**

Available Faces





Panda White Glint



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.


PURE CALACATTA




6 mm natural V3

6 mm	Natural	Polished
270x120 cm 108"x48"	**MMS9762712**	**MML9762712**
120x120 cm 48"x48"	**MMS976120**	**MML976120**

Available Faces





Pure Calacatta Natural | Polished



INNOVATIVE MARBLE

pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

CALACATTA

Available in ACTIVE SURFACES® | SAPIENSTONE


6/12/20 mm | natural | V3

6 mm	Natural	Polished
300x150 cm 120"x60"	**MMS461530**	**MML461530**
150x150 cm 60"x60"	**MMS461515**	**MML461515**
150x75 cm 60"x30"	**MMS46715**	**MML46715**
75x75 cm 30"x30"	**MMS4677**	**MML4677**
75x37,5 cm 30"x15"	**MMS4673**	**MML4673**

SAPIENSTONE

12 mm **	Natural	Polished
320x160 cm 126"x63"	**SSH3216506G**	**SSP3216506G**
12 mm **	4D Cashmere	4D Polished
320x160 cm 126"x63"	**SSC3216549G**	**SSP3216549G**
20 mm **	4D Cashmere	4D Polished
320x160 cm 126"x63"	**SSC3216549G20**	**SSP3216549G20**

6 mm Thick Available Faces





Calacatta Natural



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.


** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.

CALACATTA A/B

6 mm V3

6 mm	Polished **A**	Polished **B**
300x150 cm 120"x60"	**MML1461530**	**MML1561530**





A B

pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.


CALACATTA DORATO

Available in CLASSIC SIZES

6 mm V3

6 mm	Polished
300x150 cm 120"x60"	**MML25961530**
150x150 cm 60"x60"	**MML25961515**
150x75 cm 60"x30"	**MML2596715**
75x75 cm 30"x30"	**MML259677**
75x37,5 cm 30"x15"	**MML259673**

Available Faces





Calacatta Dorato Polished




pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

PALISSANDRO WHITE

6 mm V3

6 mm	Glint
300x150 cm 120"x60"	**MMG29761530**
150x150 cm 60"x60"	**MMG29761515**
150x75 cm 60"x30"	**MMG2976715**
75x75 cm 30"x30"	**MMG297677**
75x37,5 cm 30"x15"	**MMG297673**

Available Faces





Palissandro White Glint



INNOVATIVE MARBLE

pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.


BRECCIA MIRABILE

Available in CLASSIC SIZES

6 mm | R9* | natural | V3

6 mm	Natural	Polished
300x150 cm 120"x60"	**MMS14461530**	**MML14461530**
150x150 cm 60"x60"	**MMS14461515**	**MML14461515**
150x75 cm 60"x30"	**MMS1446715**	**MML1446715**
75x75 cm 30"x30"	**MMS144677**	**MML144677**
75x37,5 cm 30"x15"	**MMS144673**	**MML144673**

Available Faces





Breccia Mirabilia Natural | Ethereal Travertino Polished



INNOVATIVE MARBLE

pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

BRECCIA SARDA

Available in CLASSIC SIZES

Breccia Sarda Natural Plus | Arabescato Orobico Polished | Patagonia Natural

6 mm | R10 natural plus | V3

6 mm	Natural Plus
300x150 cm 120"x60"	**MMS29661530**
150x150 cm 60"x60"	**MMS29661515**
150x75 cm 60"x30"	**MMS2966715**
75x75 cm 30"x30"	**MMS296677**
75x37,5 cm 30"x15"	**MMS296673**

Available Faces







pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

ETHEREAL TRAVERTINO

6 mm V3

6 mm	Polished
300x150 cm 120"x60"	**MML9161530**
150x150 cm 60"x60"	**MML9161515**
150x75 cm 60"x30"	**MML916715**
75x75 cm 30"x30"	**MML91677**
75x37,5 cm 30"x15"	**MML91673**

Available Faces



Ethereal Travertino Polished | Arabescato Orobico Polished



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

GOLD ONYX

Gold Onyx Polished

6 mm V3

6 mm	Polished
300x150 cm 120"x60"	**MML2561530**
150x150 cm 60"x60"	**MML2561515**
150x75 cm 60"x30"	**MML256715**
75x75 cm 30"x30"	**MML25677**
75x37,5 cm 30"x15"	**MML25673**

Available Faces







pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

PATAGONIA


Available in CLASSIC SIZES


Patagonia Natural

6 mm | R9* natural | R9* top lapped | V4

6 mm	Natural	Top Lapped
150x150 cm 60"x60"	**MMS29161515**	**MMH29161515**
150x75 cm 60"x30"	**MMS2916715**	**MMH2916715**
75x75 cm 30"x30"	**MMS291677**	**MMH291677**
75x37,5 cm 30"x15"	**MMS291673**	**MMH291673**

Available Faces







pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

PATAGONIA A/B

6 mm | natural | top lapped | V4

6 mm	Natural **A**	Natural **B**
300x150 cm 120"x60"	**MMS29161530A**	**MMS29161530B**

6 mm	Top Lapped **A**	Top Lapped **B**
300x150 cm 120"x60"	**MMH29161530A**	**MMH29161530B**





A B

pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

TRAVERTINO

Available in CLASSIC SIZES

Travertino Polished | Natural

6 mm | R9* | V3

6 mm — natural

6 mm	Natural	Polished
300x150 cm 120"x60"	**MMS2361530**	**MML2361530**
150x150 cm 60"x60"	**MMS2361515**	**MML2361515**
150x75 cm 60"x30"	**MMS236715**	**MML236715**
75x75 cm 30"x30"	**MMS23677**	**MML23677**
75x37,5 cm 30"x15"	**MMS23673**	**MML23673**

Available Faces







pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

CAMOUFLAGE


Available in CLASSIC SIZES

Camouflage Feel

6 mm V3

6 mm	Feel
300x150 cm 120"x60"	**MMF29561530**
150x150 cm 60"x60"	**MMF29561515**
150x75 cm 60"x30"	**MMF2956715**
75x75 cm 30"x30"	**MMF295677**
75x37,5 cm 30"x15"	**MMF295673**

Available Faces







pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

NEBULA GRIGIA

6 mm V3

6 mm	Silky	Polished
300x150 cm 120"x60"	**MMH5161530**	**MML5161530**
150x150 cm 60"x60"	**MMH5161515**	**MML5161515**
150x75 cm 60"x30"	**MMH516715**	**MML516715**
75x75 cm 30"x30"	**MMH51677**	**MML51677**
75x37,5 cm 30"x15"	**MMH51673**	**MML51673**

Available Faces





Nebula Grigia Silky



INNOVATIVE MARBLE

pag 248 / **VARIETY AND BOOK-MATCHING**
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.


ARABESCATO OROBICO

Available in CLASSIC SIZES

6 mm V3

6 mm	Polished
300x150 cm 120"x60"	**GFAA500U010A2**
150x150 cm 60"x60"	**GFAA500U011A2**
150x75 cm 60"x30"	**GFAA500U012A2**
75x75 cm 30"x30"	**GFAA500U013A2**
75x37,5 cm 30"x15"	**GFAA500U014A2**

Available Faces





pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

Arabescato Orobico Polished



ARABESCATO OROBICO A/B

6 mm V3

6 mm	Polished **A**	Polished **B**
300x150 cm 120"x60"	**GFAA5A1U010A2**	**GFAA5B1U010A2**





A B

pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

GLAM BRONZE

Available in CLASSIC SIZES

6 mm V3

6 mm	Silky	Polished
300x150 cm 120"x60"	**MMH3861530**	**MML3861530**
150x150 cm 60"x60"	**MMH3861515**	**MML3861515**
150x75 cm 60"x30"	**MMH386715**	**MML386715**
75x75 cm 30"x30"	**MMH38677**	**MML38677**
75x37,5 cm 30"x15"	**MMH38673**	**MML38673**

Available Faces





Glam Bronze Silky / Polished



INNOVATIVE MARBLE


pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

DEEP EMPERADOR

6 mm V3

6 mm	Polished
300x150 cm 120"x60"	**MML8861530**
150x150 cm 60"x60"	**MML8861515**
150x75 cm 60"x30"	**MML886715**
75x75 cm 30"x30"	**MML88677**
75x37,5 cm 30"x15"	**MML88673**

Available Faces





Deep Emperador Polished



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

BRECCIA IMPERIALE

Available in SAPIENSTONE


6 mm | R10* natural plus | V3

6 mm	Natural Plus
300x150 cm 120"x60"	**MMS32761530**
150x150 cm 60"x60"	**MMS32761515**
150x75 cm 60"x30"	**MMS3276715**
75x75 cm 30"x30"	**MMS327677**
75x37,5 cm 30"x15"	**MMS327673**

SAPIENSTONE

12 mm **	Natural
320x160 cm 126"x63"	**SSH3216633G**

6 mm Thick Available Faces







Breccia Imperiale Natural Plus

INNOVATIVE MARBLE

pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.


LEPANTO RUBINO


Lepanto Rubino Polished | Travertino Natural

6 mm V3

6 mm	Polished
300x150 cm 120"x60"	**MML14361530**
150x150 cm 60"x60"	**MML14361515**
150x75 cm 60"x30"	**MML1436715**
75x75 cm 30"x30"	**MML143677**
75x37,5 cm 30"x15"	**MML143673**

Available Faces







pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

BLUE TEMPEST

6 mm V4


6 mm	Polished
150x150 cm 60"x60"	**MML29261515**
150x75 cm 60"x30"	**MML2926715**
75x75 cm 30"x30"	**MML292677**
75x37,5 cm 30"x15"	**MML292673**


Available Faces











Blue Tempest Polished | Blue Tempest A/B Polished




pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

BLUE TEMPEST A/B

6 mm V4

6 mm	Polished **A**	Polished **B**
300x150 cm 120"x60"	**MML29261530A**	**MML29261530B**





A B

pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

MARBRE DE SAVOIE

6 mm V3

6 mm	Polished
300x150 cm 120"x60"	**MML8961530**
150x150 cm 60"x60"	**MML8961515**
150x75 cm 60"x30"	**MML896715**
75x75 cm 30"x30"	**MML89677**
75x37,5 cm 30"x15"	**MML89673**

Available Faces





pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

Marbre De Savoie Polished



BARDIGLIO SUBLIME

Available in CLASSIC SIZES

6 mm | R9* natural | V3

6 mm	Natural	Polished
300x150 cm 120"x60"	**MMS14661530**	**MML14661530**
150x150 cm 60"x60"	**MMS14661515**	**MML14661515**
150x75 cm 60"x30"	**MMS1466715**	**MML1466715**
75x75 cm 30"x30"	**MMS146677**	**MML146677**
75x37,5 cm 30"x15"	**MMS146673**	**MML146673**

Available Faces





Bardiglio Sublime Natural | Lepanto Rubino Polished



INNOVATIVE MARBLE

pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

SILVER ROOT


6 mm | R9* | natural | V3


6 mm	Natural
300x150 cm 120"x60"	**MMS32661530**
150x150 cm 60"x60"	**MMS32661515**
150x75 cm 60"x30"	**MMS3266715**
75x75 cm 30"x30"	**MMS326677**
75x37,5 cm 30"x15"	**MMS326673**

Available Faces











Silver Root Natural



INNOVATIVE MARBLE

pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.


DIVINE BLUE

Divine Blue Polished | Divine Blue A/B Polished | Calacatta Bellissimo Natural

6 mm V3

6 mm	Polished
150x150 cm 60"x60"	**MML26361515**
150x75 cm 60"x30"	**MML2636715**
75x75 cm 30"x30"	**MML263677**
75x37,5 cm 30"x15"	**MML263673**

Available Faces








pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

DIVINE BLUE A/B

6 mm V3

6 mm	Polished **A**	Polished **B**
300x150 cm 120"x60"	**MML26361530A**	**MML26361530B**





A B

pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

PIETRA GREY

Available in CLASSIC SIZES | ACTIVE SURFACES® | SAPIENSTONE


6/12 mm | R9* natural | V3

6 mm	Natural	Silky	Polished
300x150 cm 120"x60"	**MMS3261530**	**MMH3261530**	**MML3261530**
270x120 cm 108"x48"	**MMS3262712**	**MMH3262712**	**MML3262712**
150x150 cm 60"x60"	**MMS3261515**	**MMH3261515**	**MML3261515**
120x120 cm 48"x48"	**MMS326120**	**MMH326120**	**MML326120**
150x75 cm 60"x30"	**MMS326715**	**MMH326715**	**MML326715**
75x75 cm 30"x30"	**MMS32677**	**MMH32677**	**MML32677**
75x37,5 cm 30"x15"	**MMS32673**	**MMH32673**	**MML32673**

SAPIENSTONE

12 mm **	Natural	Polished
320x160 cm 126"x63"	**SSH3216512G**	**SSP3216512G**

6 mm Thick Available Faces






pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding. Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.

Pietra Grey Polished | Premium White Natural




INNOVATIVE MARBLE


SAHARA NOIR


6 mm V3


6 mm	Silky	Polished
300x150 cm 120"x60"	**MMH5561530**	**MML5561530**
270x120 cm 108"x48"	**MMH5562712**	**MML5562712**
150x150 cm 60"x60"	**MMH5561515**	**MML5561515**
120x120 cm 48"x48"	**MMH556120**	**MML556120**
150x75 cm 60"x30"	**MMH556715**	**MML556715**
75x75 cm 30"x30"	**MMH55677**	**MML55677**
75x37,5 cm 30"x15"	**MMH55673**	**MML55673**

Available Faces











Sahara Noir Silky



INNOVATIVE MARBLE

pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

NERO DAMASCATO

Available in SAPIENSTONE

6/12/20 mm | V3


6 mm	Silky	Polished
300x150 cm 120"x60"	**MMH14761530**	**MML14761530**
150x150 cm 60"x60"	**MMH14761515**	**MML14761515**
150x75 cm 60"x30"	**MMH1476715**	**MML1476715**
75x75 cm 30"x30"	**MMH147677**	**MML147677**
75x37,5 cm 30"x15"	**MMH147673**	**MML147673**


SAPIENSTONE

12 mm **	4D Cashmere	4D Polished
320x160 cm 126"x63"	**SSC3216547G**	**SSP3216547G**

20 mm **	4D Cashmere	4D Polished
320x160 cm 126"x63"	**SSC3216547G20**	**SSP3216547G20**

6 mm Thick Available Faces





pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.

Nero Damascato Silky | Verde Fantastico Polished



INNOVATIVE MARBLE


MAJESTIC ONYX


Majestic Onyx Polished | Calacatta Dorato Polished

6 mm V3

6 mm	Polished
300x150 cm 120"x60"	**MML26461530**
150x150 cm 60"x60"	**MML26461515**
150x75 cm 60"x30"	**MML2646715**
75x75 cm 30"x30"	**MML264677**
75x37,5 cm 30"x15"	**MML264673**

Available Faces







pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

DARK MARQUINA

Available in CLASSIC SIZES | SAPIENSTONE

6/12 mm

V3


6 mm	Silky	Polished
300x150 cm 120"x60"	**MMH5061530**	**MML5061530**
270x120 cm 108"x48"	**MMH5062712**	**MML5062712**
150x150 cm 60"x60"	**MMH5061515**	**MML5061515**
120x120 cm 48"x48"	**MMH506120**	**MML506120**
150x75 cm 60"x30"	**MMH506715**	**MML506715**
75x75 cm 30"x30"	**MMH50677**	**MML50677**
75x37,5 cm 30"x15"	**MMH50673**	**MML50673**

SAPIENSTONE

12 mm **	Silky	Polished
320x160 cm 126"x63"	**SSY3216523W**	**SSP3216523W**

6 mm Thick Available Faces







Dark Marquina Polished

INNOVATIVE MARBLE

pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.


ALPI CHIARO VENATO


Available in CLASSIC SIZES

6 mm | R9* natural | V3


6 mm	Natural	Polished
300x150 cm 120"x60"	**MMS8761530**	**MML8761530**
270x120 cm 108"x48"	**MMS8762712**	**MML8762712**
150x150 cm 60"x60"	**MMS8761515**	**MML8761515**
120x120 cm 48"x48"	**MMS876120**	**MML876120**
150x75 cm 60"x30"	**MMS876715**	**MML876715**
75x75 cm 30"x30"	**MMS87677**	**MML87677**
75x37,5 cm 30"x15"	**MMS87673**	**MML87673**

Available Faces





Alpi Chiaro Venato Polished



pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.


* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.


VERDE FANTASTICO

6 mm V3

6 mm	Polished
300x150 cm 120"x60"	**MML8661530**
150x150 cm 60"x60"	**MML8661515**
150x75 cm 60"x30"	**MML866715**
75x75 cm 30"x30"	**MML86677**
75x37,5 cm 30"x15"	**MML86673**

Available Faces





Verde Fantastico Polished



INNOVATIVE MARBLE


pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.


IRISH GREEN

6 mm V3

6 mm	Polished
300x150 cm 120"x60"	**MML8561530**
150x150 cm 60"x60"	**MML8561515**
150x75 cm 60"x30"	**MML856715**
75x75 cm 30"x30"	**MML85677**
75x37,5 cm 30"x15"	**MML85673**

Available Faces





Irish Green Polished




pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.


AMAZONITE

6 mm V3

6 mm	Polished
300x150 cm 120"x60"	**MML7961530**
150x150 cm 60"x60"	**MML7961515**
150x75 cm 60"x30"	**MML796715**
75x75 cm 30"x30"	**MML79677**
75x37,5 cm 30"x15"	**MML79673**

Available Faces





Amazonite Polished




pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

WHITE BEAUTY

6 mm V4

6 mm	Polished
300x150 cm 120"x60"	**MML7261530**
150x150 cm 60"x60"	**MML7261515**
150x75 cm 60"x30"	**MML726715**
75x75 cm 30"x30"	**MML72677**
75x37,5 cm 30"x15"	**MML72673**

Available Faces





White Beauty Polished



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

ALASKA WHITE

Available in CLASSIC SIZES | SAPIENSTONE



6/12/20 mm | natural plus* | top lapped* | V3

6 mm	Natural Plus	Top Lapped
300x150 cm 120"x60"	**MGS28561530**	**MGH28561530**
150x150 cm 60"x60"	**MGS28561515**	**MGH28561515**
150x75 cm 60"x30"	**MGS2856715**	**MGH2856715**
75x75 cm 30"x30"	**MGS285677**	**MGH285677**
75x37,5 cm 30"x15"	**MGS285673**	**MGH285673**

SAPIENSTONE

12 mm **	Top Lapped
320x160 cm 126"x63"	**SSP3216556G**

20 mm **	Top Lapped
320x160 cm 126"x63"	**SSP3216556G20**

6 mm Thick Available Faces





Alaska White Natural Plus, Top Lapped | Jatoba Brown Top Lapped



pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding. Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.

CELESTE ARAN

6 mm | R10 natural plus* | R10 top lapped* | V3

6 mm	Natural Plus	Top Lapped
300x150 cm 120"x60"	**MGS28661530**	**MGH28661530**
150x150 cm 60"x60"	**MGS28661515**	**MGH28661515**
150x75 cm 60"x30"	**MGS2866715**	**MGH2866715**
75x75 cm 30"x30"	**MGS286677**	**MGH286677**
75x37,5 cm 30"x15"	**MGS286673**	**MGH286673**

Available Faces





Celeste Aran Natural Plus



INNOVATIVE GRANITE

pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

LABRADORITE

6 mm V3

6 mm	Glint
300x150 cm 120"x60"	**MGG28861530**
150x150 cm 60"x60"	**MGG28861515**
150x75 cm 60"x30"	**MGG2886715**
75x75 cm 30"x30"	**MGG288677**
75x37,5 cm 30"x15"	**MGG288673**

Available Faces





Labradorite Glint



INNOVATIVE GRANITE


pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.


DEEP NORWAY

6 mm V3

6 mm	Glint
300x150 cm 120"x60"	**MGG28761530**
150x150 cm 60"x60"	**MGG28761515**
150x75 cm 60"x30"	**MGG2876715**
75x75 cm 30"x30"	**MGG287677**
75x37,5 cm 30"x15"	**MGG287673**

Available Faces





Deep Norway Glint | Travertino Natural



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

000.UNI ICE

Available in CLASSIC SIZES | ACTIVE SURFACES® | SAPIENSTONE

6/12/20 mm | natural | V1

6 mm	Natural	Polished
300x150 cm 120"x60"	**UMS0161530**	**UML0161530**
300x100 cm 120"x40"	**UMS0161030**	**UML0161030**
150x150 cm 60"x60"	**UMS0161515**	**UML0161515**
150x100 cm 60"x40"	**UMS0161015**	**UML0161015**
100x100 cm 40"x40"	**UMS0161010**	**UML0161010**
150x75 cm 60"x30"	**UMS016715**	**UML016715**
75x75 cm 30"x30"	**UMS01677**	**UML01677**
75x37,5 cm 30"x15"	**UMS01673**	**UML01673**

SAPIENSTONE

12 mm **	Natural	Polished	Cashmere
320x160 cm 126"x63"	**SSH3216505G**	**SSP3216505G**	**SSC3216505G**

20 mm **	Natural
320x160 cm 126"x63"	**SSH3216505G20**

000.Uni Ice Polished



INNOVATIVE IMPULSE

pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding. Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.


** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.

300.UNI PEPPER


Available in CLASSIC SIZES

6 mm | R9* | natural | V1

6 mm	Natural	Polished
300x150 cm 120"x60"	**UMS0861530**	**UML0861530**
300x100 cm 120"x40"	**UMS0861030**	**UML0861030**
150x150 cm 60"x60"	**UMS0861515**	**UML0861515**
150x100 cm 60"x40"	**UMS0861015**	**UML0861015**
100x100 cm 40"x40"	**UMS0861010**	**UML0861010**
150x75 cm 60"x30"	**UMS086715**	**UML086715**
75x75 cm 30"x30"	**UMS08677**	**UML08677**
75x37,5 cm 30"x15"	**UMS08673**	**UML08673**



300.Uni Pepper Natural



INNOVATIVE IMPULSE

pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

IVORY

Available in CLASSIC SIZES | SAPIENSTONE

6/12 mm | R10 natural plus* | V2

6 mm Natural Plus

270x120 cm 108"x48" **IG6P2712567**

SAPIENSTONE

12 mm ** Natural Plus

320x160 cm 126"x63" **SSH3216610G**

6 mm Thick Available Faces



Balance Ivory Natural Plus | Breccia Sarda Natural Plus

INNOVATIVE IMPULSE

pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding. Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.

NUDE

Available in CLASSIC SIZES | SAPIENSTONE

6/12 mm | R10* natural plus | V2

6 mm Natural Plus


270x120 cm 108"x48" **IG6P2712570**


SAPIENSTONE

12 mm ** Natural Plus

320x160 cm 126"x63" **SSH3216612G**

6 mm Thick Available Faces





Balance Nude Natural Plus | Jatoba Brown Top Lapped



INNOVATIVE IMPULSE

pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding. Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.

OCHRE

Available in CLASSIC SIZES | SAPIENSTONE

6/12 mm | R10 natural plus* | V2

6 mm Natural Plus


270x120 cm 108"x48" **IG6P2712578**


SAPIENSTONE

12 mm ** Natural Plus

320x160 cm 126"x63" **SSH3216616G**

6 mm Thick Available Faces





Balance Ochre Natural Plus | Panda White Glint



INNOVATIVE IMPULSE

pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding. Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.

MARSALA RED

Available in CLASSIC SIZES | SAPIENSTONE



6/12 mm | natural plus | V2

6 mm Natural Plus


270x120 cm 108"x48" **IG6P2712580**


SAPIENSTONE

12 mm ** Natural Plus

320x160 cm 126"x63" **SSH3216617G**

6 mm Thick Available Faces





Balance Marsala Red Natural Plus | Ivory Natural Plus | Kuroca 4D Cashmere



INNOVATIVE IMPULSE

pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding. Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.

CHESTER GREEN

Available in CLASSIC SIZES | SAPIENSTONE

6/12 mm | R10 natural plus | V2

6 mm Natural Plus


270x120 cm 108"x48" **IG6P2712576**


SAPIENSTONE

12 mm ** Natural Plus

320x160 cm 126"x63" **SSH3216615G**

6 mm Thick Available Faces





Balance Chester Green Natural Plus | Palissandro White Glint



INNOVATIVE IMPULSE

pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding. Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.

LIGHT GREY

Available in CLASSIC SIZES | SAPIENSTONE

6/12 mm | R10 natural plus* | V2

6 mm — Natural Plus


270x120 cm 108"x48" — **IG6P2712568**

SAPIENSTONE

12 mm ** — Natural Plus

320x160 cm 126"x63" — **SSH3216611G**

6 mm Thick Available Faces





Balance Light Grey Natural Plus | Camouflage Feel

pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding. Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.

AZURE

Available in CLASSIC SIZES | SAPIENSTONE

6/12 mm | R10 natural plus | V2

6 mm Natural Plus


270x120 cm 108"x48" **IG6P2712575**


SAPIENSTONE

12 mm ** Natural Plus

320x160 cm 126"x63" **SSH3216614G**

6 mm Thick Available Faces





Balance Azure Natural Plus | Camouflage Feel



INNOVATIVE IMPULSE

pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding. Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.

STEEL BLUE

Available in CLASSIC SIZES | SAPIENSTONE



6/12 mm | natural plus | V2

6 mm Natural Plus

270x120 cm
108"x48"
IG6P2712574

SAPIENSTONE


12 mm ** Natural Plus


320x160 cm
126"x63"
SSH3216613G


6 mm Thick Available Faces











Balance Steel Blue Natural Plus | Nude Natural Plus | Jatoba Brown Top Lapped



INNOVATIVE IMPULSE

pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding. Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.

SELENITE WHITE

6 mm V3

6 mm	Jewel
300x150 cm 120"x60"	**MSJ29861530**
150x150 cm 60"x60"	**MSJ29861515**
150x75 cm 60"x30"	**MSJ2986715**
75x75 cm 30"x30"	**MSJ298677**
75x37,5 cm 30"x15"	**MSJ298673**

Available Faces



Selenite White Jewel | Balance Steel Blue Natural Plus



pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

SELENITE GREIGE

6 mm V3

6 mm	Jewel
300x150 cm 120"x60"	**MSJ30061530**
150x150 cm 60"x60"	**MSJ30061515**
150x75 cm 60"x30"	**MSJ3006715**
75x75 cm 30"x30"	**MSJ300677**
75x37,5 cm 30"x15"	**MSJ300673**

Available Faces





Selenite Greige Jewel | Balance Umber Natural Plus



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

SELENITE BLACK

6 mm V3

6 mm	Jewel
300x150 cm 120"x60"	**MSJ29961530**
150x150 cm 60"x60"	**MSJ29961515**
150x75 cm 60"x30"	**MSJ2996715**
75x75 cm 30"x30"	**MSJ299677**
75x37,5 cm 30"x15"	**MSJ299673**

Available Faces





Selenite Black Jewel



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

LUCE PEARL

Luce Pearl Metal | Luce Silver Metal | Luce Gold Metal

6 mm V2

6 mm	Metal
300x100 cm 120"x40"	**IG6P310535**
100x100 cm 40"x40"	**IG6P100535**





pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

LUCE SILVER

6 mm V2

6 mm	Metal
300x100 cm 120"x40"	**IG6P310534**
100x100 cm 40"x40"	**IG6P100534**



Luce Silver Metal



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

LUCE GOLD

6 mm V2

6 mm	Metal
300x100 cm 120"x40"	**IG6P310533**
100x100 cm 40"x40"	**IG6P100533**



Luce Gold Metal | Luce Silver Metal



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

LUNA LIMESTONE

Available in SAPIENSTONE

6/12 mm | R10* flamed | V3

6 mm Flamed

300x100 cm 120"x40" **MPP10161030**

270x120 cm 108"x48" **MPP10162712**

120x120 cm 48"x48" **MPP1016120**

100x100 cm 40"x40" **MPP10161010**

SAPIENSTONE

12 mm ** Flamed

320x160 cm 126"x63" **SST3216608G**

6 mm Thick Available Faces





Luna Limestone Flamed | Nebula Grigia Polished

pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding. Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.

QUARZITE VALS

Available in SAPIENSTONE



6/12 mm | flamed | V3

6 mm	Flamed
300x100 cm 120"x40"	**MPP10061030**
270x120 cm 108"x48"	**MPP10062712**
120x120 cm 48"x48"	**MPP1006120**
100x100 cm 40"x40"	**MPP10061010**

SAPIENSTONE

12 mm **	Flamed
320x160 cm 126"x63"	**SST3216607G**

6 mm Thick Available Faces





Quarzite Vals Flamed | Irish Green Polished | Dark Marquina Silky



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding. Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.


ROCCIA DI LUCCA

6 mm | R10* flamed | V3

6 mm	Flamed
300x100 cm 120"x40"	**MPP10761030**
270x120 cm 108"x48"	**MPP10762712**
120x120 cm 48"x48"	**MPP1076120**
100x100 cm 40"x40"	**MPP10761010**

Available Faces





Roccia Di Lucca Flamed



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

JATOBA BROWN

Available in CLASSIC SIZES | SAPIENSTONE

Jatoba Brown Top Lapped

6/12/20 mm | R10* top lapped | V3


6 mm	Top Lapped
300x150 cm 120"x60"	**MPH28961530**
150x150 cm 60"x60"	**MPH28961515**
150x75 cm 60"x30"	**MPH2896715**
75x75 cm 30"x30"	**MPH289677**
75x37,5 cm 30"x15"	**MPH289673**

SAPIENSTONE

12 mm **	4D Top Lapped
320x160 cm 126"x63"	**SSP3216555G**

20 mm **	4D Top Lapped
320x160 cm 126"x63"	**SSP3216555G20**

6 mm Thick Available Faces







pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding. Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.

WHITE FJORD


Available in CLASSIC SIZES

6 mm | R10 natural plus | V2

6 mm	Natural Plus
300x100 cm 120"x40"	**GFAA600N020A2**
150x100 cm 60"x40"	**GFAA600N021A2**
100x100 cm 40"x40"	**GFAA600N022A2**

Available Faces





White Fjord Natural Plus



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

GREY FJORD

Available in CLASSIC SIZES

6 mm | R10 natural plus* | V2

6 mm	Natural Plus
300x100 cm 120"x40"	**GFAA800N020A2**
150x100 cm 60"x40"	**GFAA800N021A2**
100x100 cm 40"x40"	**GFAA800N022A2**

Available Faces



Grey Fjord Natural Plus



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.


BLACK FJORD

Available in CLASSIC SIZES

6 mm | natural plus | V2

6 mm	Natural Plus
300x100 cm 120"x40"	**GFAB100N020A2**
150x100 cm 60"x40"	**GFAB100N021A2**
100x100 cm 40"x40"	**GFAB100N022A2**

Available Faces



Black Fjord Natural Plus



INNOVATIVE STONE

pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

MEGAWHITE

Available in ACTIVE SURFACES®

6 mm | R9* | natural | V2

6 mm	Natural
300x100 cm 120"x40"	**MAS761030**
150x100 cm 60"x40"	**MAS761015**
100x100 cm 40"x40"	**MAS761010**

Available Faces

Megawhite Natural | Megablack Natural



pag 248 / **VARIETY AND BOOK-MATCHING**
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

MEGAGREIGE


Available in ACTIVE SURFACES®

6 mm | R9* | natural | V2

6 mm	Natural
300x100 cm 120"x40"	**MAS861030**
150x100 cm 60"x40"	**MAS861015**
100x100 cm 40"x40"	**MAS861010**



Available Faces



Megagreige Natural | Balance Tan Natural Plus



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.


MEGABROWN


Available in ACTIVE SURFACES®

6 mm | R9* | natural | V2

6 mm	Natural
300x100 cm 120"x40"	**MAS961030**
150x100 cm 60"x40"	**MAS961015**
100x100 cm 40"x40"	**MAS961010**

Available Faces







Megabrown Natural



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.


MEGAGREY


Available in ACTIVE SURFACES®

6 mm natural V2

6 mm	Natural
300x100 cm 120"x40"	**MAS1161030**
150x100 cm 60"x40"	**MAS1161015**
100x100 cm 40"x40"	**MAS1161010**

Available Faces









Megagrey Natural



pag 248 / **VARIETY AND BOOK-MATCHING**
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.


MEGABLACK


Available in ACTIVE SURFACES®

6 mm | R9* | natural | V2

6 mm	Natural
300x100 cm 120"x40"	**MAS1061030**
150x100 cm 60"x40"	**MAS1061015**
100x100 cm 40"x40"	**MAS1061010**

Available Faces







Megablack Natural | Megawhite Natural



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

QUIET SAND

6 mm structured V2

6 mm	Structured
300x100 cm 120"x40"	**MAP1661030**
150x100 cm 60"x40"	**MAP1661015**
100x100 cm 40"x40"	**MAP1661010**

Available Faces

Quiet Sand Structured



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.


* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

QUIET NUMB

6 mm structured V2

6 mm	Structured
300x100 cm 120"x40"	**MAP1761030**
150x100 cm 60"x40"	**MAP1761015**
100x100 cm 40"x40"	**MAP1761010**

Available Faces







Quiet Numb Structured



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.


* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.


QUIET ROCK


6 mm structured V2

6 mm	Structured
300x100 cm 120"x40"	**MAP1861030**
150x100 cm 60"x40"	**MAP1861015**
100x100 cm 40"x40"	**MAP1861010**

Available Faces









Quiet Rock Structured



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

WHITE AION

Available in SAPIENSTONE

6/12 mm | R9* natural | V3

6 mm	Natural
300x150 cm 120"x60"	**MMS27761530**
270x120 cm 108"x48"	**MMS27762712**
150x150 cm 60"x60"	**MMS27761515**
120x120 cm 48"x48"	**MMS2776120**
150x75 cm 60"x30"	**MMS2776715**
75x75 cm 30"x30"	**MMS277677**
75x37,5 cm 30"x15"	**MMS277673**

SAPIENSTONE

12 mm **	Natural
320x160 cm 126"x63"	**SSH3216534G**

6 mm Thick Available Faces





White Aion Natural | Black Aion Natural



INNOVATIVE STONE

pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding. Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.

GREY AION

Available in SAPIENSTONE

6/12 mm | R9* natural | V3

6 mm Natural


300x150 cm 120"x60"	**MMS27661530**
270x120 cm 108"x48"	**MMS27662712**
150x150 cm 60"x60"	**MMS27661515**
120x120 cm 48"x48"	**MMS2766120**
150x75 cm 60"x30"	**MMS2766715**
75x75 cm 30"x30"	**MMS276677**
75x37,5 cm 30"x15"	**MMS276673**

SAPIENSTONE

12 mm ** Natural

320x160 cm 126"x63"	**SSH3216533G**

6 mm Thick Available Faces





Grey Aion Natural | Balance Marsala Red Natural Plus



pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding. Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.

BLACK AION

Available in SAPIENSTONE

6/12 mm | R9 * natural | V3

6 mm Natural

300x150 cm 120"x60"	**MMS27561530**
270x120 cm 108"x48"	**MMS27562712**
150x150 cm 60"x60"	**MMS27561515**
120x120 cm 48"x48"	**MMS2756120**
150x75 cm 60"x30"	**MMS2756715**
75x75 cm 30"x30"	**MMS275677**
75x37,5 cm 30"x15"	**MMS275673**

SAPIENSTONE

12 mm ** Natural


320x160 cm 126"x63"	**SSH3216532G**


6 mm Thick Available Faces











Black Aion Natural | Balance Ivory Natural Plus



pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding. Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.

VENUS

6 mm | R9* | natural | V2

6 mm	Natural
300x100 cm 120"x40"	**MAS261030**
150x100 cm 60"x40"	**MAS261015**
100x100 cm 40"x40"	**MAS261010**

Available Faces





Venus Natural



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

MERCURY

6 mm natural V2

6 mm	Natural
300x100 cm 120"x40"	**MAS361030**
150x100 cm 60"x40"	**MAS361015**
100x100 cm 40"x40"	**MAS361010**

Available Faces





Mercury Natural



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

MOON

6 mm natural V2


6 mm	Natural
300x100 cm 120"x40"	**MAS461030**
150x100 cm 60"x40"	**MAS461015**
100x100 cm 40"x40"	**MAS461010**

Available Faces





Moon Natural



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

WHITE RESIN

6 mm natural V2

6 mm	Natural
300x100 cm 120"x40"	**MAS1261030**
150x100 cm 60"x40"	**MAS1261015**
100x100 cm 40"x40"	**MAS1261010**

Available Faces





White Resin Natural



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

CINDER RESIN

Available in SAPIENSTONE

6/12/20 mm | natural | R9* | V2

6 mm	Natural
300x100 cm 120"x40"	**MAS1461030**
150x100 cm 60"x40"	**MAS1461015**
100x100 cm 40"x40"	**MAS1461010**

SAPIENSTONE

12 mm **	Natural
320x160 cm 126"x63"	**SSH3216503G**
20 mm **	Natural
320x160 cm 126"x63"	**SSH3216503G20**

6 mm Thick Available Faces





Cinder Resin Natural



pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding. Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.

DARK RESIN

Available in SAPIENSTONE



6/12/20 mm | natural | V2

6 mm | Natural

300x100 cm 120"x40"	**MAS1361030**
150x100 cm 60"x40"	**MAS1361015**
100x100 cm 40"x40"	**MAS1361010**

SAPIENSTONE


12 mm ** | Natural

320x160 cm 126"x63"	**SSH3216504G**

20 mm ** | Natural

320x160 cm 126"x63"	**SSH3216504G20**

6 mm Thick Available Faces





Dark Resin Natural



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding. Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

** SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm materials because they are made from a combination of natural raw materials with separate production processes. SapienStone ceramic surfaces can only be purchased from local authorised retailers.

CALACATTA STATUARIO /


Available in CLASSIC SIZES

6/12 mm | R9* active | V3

6 mm Active

300x150 cm 120"x60" **IAS2661530**

Available Faces







Calacatta Statuario Active

pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

CALACATTA /

Available in CLASSIC SIZES

Calacatta Active

6/12 mm | R9 active | V3

6 mm Active

300x150 cm **IAS461530**
120"x60"

Available Faces







pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

PIETRA GREY /A

Available in CLASSIC SIZES

6/12 mm | R9* active | V3

6 mm Active

300x150 cm **IAS3261530**
120"x60"

Available Faces



Pietra Grey Active



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

UNI ICE /A

Available in CLASSIC SIZES

Uni Ice Active

6/12 mm | R9* active | V1

6 mm	Active
300x150 cm 120"x60"	**IAS0161530**



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.


BASALTO BIANCO /A

Available in CLASSIC SIZES

6 mm | R9* active | V3

6 mm	Active
300x100 cm 120"x40"	**IAS310219M6**
100x100 cm 40"x40"	**IAS100219M6**

Available Faces







Basalto Bianco Active | Pietra Grey Active



pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

BASALTO BEIGE /A

Available in CLASSIC SIZES

6 mm | R9* active | V3

6 mm	Active
300x100 cm 120"x40"	**IAS310220M6**
100x100 cm 40"x40"	**IAS100220M6**

Available Faces





Basalto Beige Active



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

BASALTO MORO /A

Available in CLASSIC SIZES

6 mm | R9* active | V3

6 mm	Active
300x100 cm 120"x40"	**IAS310221M6**
100x100 cm 40"x40"	**IAS100221M6**




Basalto Moro Active




Available Faces









pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

BASALTO GRIGIO /A


Available in CLASSIC SIZES


6 mm | R9* active | V3

6 mm	Active
300x100 cm 120"x40"	**IAS310222M6**
100x100 cm 40"x40"	**IAS100222M6**

Available Faces











Basalto Grigio Active



pag 248 / **VARIETY AND BOOK-MATCHING**

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.


* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

BASALTO NERO /

Available in CLASSIC SIZES

6 mm | R9* | active | V3


6 mm	Active
300x100 cm 120"x40"	**IAS310223M6**
100x100 cm 40"x40"	**IAS100223M6**




Available Faces









Basalto Nero Active | Basalto Grigio Active



pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

URBAN WHITE /A

Available in CLASSIC SIZES

Urban White Active

6 mm | R9* active | V3


6 mm	Active
300x100 cm 120"x40"	**IASX3010295**
100x100 cm 40"x40"	**IASX1010295**



Available Faces









pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

URBAN IVORY /A

Available in CLASSIC SIZES

6 mm | R9* | active | V3

6 mm	Active
300x100 cm 120"x40"	**IASX3010293**
100x100 cm 40"x40"	**IASX1010293**



Urban Ivory Active | Calacatta Active



Available Faces



pag 248 / VARIETY AND BOOK-MATCHING

Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

URBAN GREY /A

Available in CLASSIC SIZES

6 mm | R9* active | V3

6 mm	Active
300x100 cm 120"x40"	**IASX3010292**
100x100 cm 40"x40"	**IASX1010292**



Available Faces









Urban Grey Active | Calacatta Statuario Active



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.


* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

URBAN DOVE /A

Available in CLASSIC SIZES


6 mm | R9* active | V3


6 mm	Active
300x100 cm 120"x40"	**IASX3010291**
100x100 cm 40"x40"	**IASX1010291**




Available Faces









Urban Dove Active | Urban Ivory Active



pag 248 / VARIETY AND BOOK-MATCHING
Maximum includes a certain number of different surfaces, for the same product, to create pleasing aesthetic variety in the layout. When preparing the order, the surfaces are selected randomly, and therefore book-matching is not guaranteed. Maximum is the outcome of the bond between earth and fire. Any book-matching between two pieces is subject to the typical tolerance of natural products.

* The values of slip resistance and of static and dynamic friction coefficient shown in the catalogue, Web site or sales documents in general are merely indicative and non-binding.
Any possible specific requirement must be confirmed by us at the order and anyway always before the installation. For more information, please read the page 245.

SAPIENSTONE

SapienStone è il brand di Iris Ceramica Group che da oltre 50 anni è leader mondiale nella produzione di gres porcellanato e ceramica tecnica di alta gamma, presente in oltre 100 paesi nel mondo con un'ampia scelta di soluzioni per il rivestimento di pareti e pavimenti: dal contract al wellness, dall'Hospitality al residenziale, fino alle grandi opere di architettura pubblica, per rispondere a tutte le esigenze del costruire e dell'abitare.

An Iris Ceramica Group brand, SapienStone is renowned for its innovative industrial approach to the manufacture of countertops, worktops, tables, shelving, and furnishing accessories. For over 50 years, the Group has been a world leader in the manufacture of superb quality porcelain stoneware and ceramics. With a presence in over 100 countries worldwide, our vast choice of wall and floor solutions range from contract to wellness, hospitality to residential, and include large-scale public architecture projects, to meet any requirement in the construction and residential sectors.

SapienStone est la marque d'Iris Ceramica Group qui se distingue par une innovante approche industrielle pour la production de comptoirs, de plans de travail, de tablettes d'étagères et de compléments d'aménagement. Depuis plus de 50 ans, le groupe est leader mondial dans la production de grès cérame et de céramique haut de gamme. Une présence dans plus de 100 pays dans le monde et une vaste proposition de solutions pour le revêtement des murs et des sols : du contract au bien-être, de l'hospitalité au secteur résidentiel, jusqu'aux grands ouvrages d'architecture publique, pour répondre à tous les besoins de la construction et de l'habitat.

SapienStone ist die Marke der Iris Ceramica Group, die sich durch ihren innovativen industriellen Ansatz bei der Herstellung von Countertops, Arbeitsflächen, Konsolentischen und Einrichtungsgegenständen auszeichnet. Seit über 50 Jahren ist die Gruppe weltweit führend in der Herstellung von Feinsteinzeug und hochwertiger Keramik. Präsenz in mehr als 100 Ländern der Welt mit einer großen Auswahl an Wand- und Bodenbelagslösungen: vom Objektbereich bis zum Wellnessbereich, vom Gastgewerbe bis zum Wohnungsbau, bis hin zu großen öffentlichen Bauvorhaben, um allen Anforderungen an Gebäude und Wohnen gerecht zu werden.


SapienStone es la marca de Iris Ceramica Group que se distingue por el innovador enfoque industrial en la realización de mostradores, superficies de trabajo, mesas repisas y complementos de mobiliario. Desde hace más de 50 años, el Grupo es líder mundial en la fabricación de gres porcelánico y cerámica de alta gama. Una presencia en más de 100 países en el mundo con un amplio abanico de soluciones para el revestimiento de paredes y suelos: del sector contract al mundo del bienestar, de la hostelería al ámbito residencial, hasta las grandes obras de arquitectura pública, para responder a todas las necesidades de la construcción y de la vivienda.

UNI ICE



CALACATTA STATUARIO
CALACATTA STATUARIO 4D

BRIGHT ONYX



LUNA LIMESTONE



ALASKA WHITE



QUARZITE VALS



CALACATTA
CALACATTA 4D

PREMIUM WHITE



PLATINUM WHITE


BALANCE IVORY



BALANCE AZURE



JATOBA BROWN 4D



PALLADIUM GREY




URBAN ARGENTO




BALANCE LIGHT GREY



BALANCE CHESTER GREEN



KUROCA 4D



BLACK DIAMOND




URBAN ANTRACITE




BALANCE NUDE




BALANCE OCHRE



BRECCIA IMPERIALE



PIETRA GREY



DARK MARQUINA



BALANCE STEEL BLUE



BALANCE MARSALA RED

CODE	SIZE	DESCRIPTION	SURFACES	THICKNESS
SSP3216556G	320x160 cm - 123"x63"	alaska white	lapped	12 mm
SSP3216556G20	320x160 cm - 123"x63"	alaska white	lapped	20 mm
SSH3216614G	320x160 cm - 123"x63"	balance azure	natural	12 mm
SSH3216615G	320x160 cm - 123"x63"	balance chester green	natural	12 mm
SSH3216610G	320x160 cm - 123"x63"	balance ivory	natural	12 mm
SSH3216611G	320x160 cm - 123"x63"	balance light grey	natural	12 mm
SSH3216617G	320x160 cm - 123"x63"	balance marsala red	natural	12 mm
SSH3216612G	320x160 cm - 123"x63"	balance nude	natural	12 mm
SSH3216616G	320x160 cm - 123"x63"	balance ochre	natural	12 mm
SSH3216613G	320x160 cm - 123"x63"	balance steel blue	natural	12 mm
SSH3216532G	320x160 cm - 123"x63"	black diamond	natural	12 mm
SSH3216513G	320x160 cm - 123"x63"	bright onyx	natural	12 mm
SSP3216513G	320x160 cm - 123"x63"	bright onyx	polished	12 mm
SSC3216549G	320x160 cm - 123"x63"	calacatta 4d cashmere	cashmere	12 mm
SSC3216549G20	320x160 cm - 123"x63"	calacatta 4d cashmere	cashmere	20 mm
SSH3216506G	320x160 cm - 123"x63"	calacatta natural	natural	12 mm
SSP3216506G	320x160 cm - 123"x63"	calacatta polished	polished	12 mm
SSP3216549G	320x160 cm - 123"x63"	calacatta 4d polished	polished	12 mm
SSP3216549G20	320x160 cm - 123"x63"	calacatta 4d polished	polished	20 mm
SSP3216507W	320x160 cm - 123"x63"	calacatta statuario	polished	12 mm
SSY3216507W	320x160 cm - 123"x63"	calacatta statuario	silky	12 mm
SSP3216507G	320x160 cm - 123"x63"	calacatta statuario 4d	polished	12 mm
SSP3216507G20	320x160 cm - 123"x63"	calacatta statuario 4d	polished	20 mm
SSY3216601G	320x160 cm - 123"x63"	calacatta statuario mirrored	silky	12 mm
SSP3216601G	320x160 cm - 123"x63"	calacatta statuario mirrored stuoiato	polished	12 mm
SSY3216523W	320x160 cm - 123"x63"	dark marquina	silky	12 mm
SSP3216523W	320x160 cm - 123"x63"	dark marquina polished	polished	12 mm
SSP3216555G	320x160 cm - 123"x63"	jatoba brown 4d	top lapped	12 mm
SSP3216555G20	320x160 cm - 123"x63"	jatoba brown 4d	top lapped	20 mm
SSC3216547G	320x160 cm - 123"x63"	kuroca 4d cashmere	cashmere	12 mm
SSC3216547G20	320x160 cm - 123"x63"	kuroca 4d cashmere	cashmere	20 mm
SSP3216547G	320x160 cm - 123"x63"	kuroca 4d polished	polished	12 mm
SSP3216547G20	320x160 cm - 123"x63"	kuroca 4d polished	polished	20 mm
SST3216608G	320x160 cm - 123"x63"	luna limestone	flamed	12 mm
SSH3216533G	320x160 cm - 123"x63"	palladium grey	natural	12 mm
SSH3216512G	320x160 cm - 123"x63"	pietra grey	natural	12 mm
SSP3216512G	320x160 cm - 123"x63"	pietra grey	polished	12 mm
SSH3216534G	320x160 cm - 123"x63"	platinum white	natural	12 mm
SSH3216514G	320x160 cm - 123"x63"	premium white	natural	12 mm
SSP3216514G	320x160 cm - 123"x63"	premium white	polished	12 mm
SST3216607G	320x160 cm - 123"x63"	quarzite vals	flamed	12 mm
SSH3216504G	320x160 cm - 123"x63"	urban antracite	natural	12 mm
SSH3216504G20	320x160 cm - 123"x63"	urban antracite	natural	20 mm
SSH3216503G	320x160 cm - 123"x63"	urban argento	natural	12 mm
SSH3216503G20	320x160 cm - 123"x63"	urban argento	natural	20 mm
SSC3216505G	320x160 cm - 123"x63"	uni ice cashmere	cashmere	12 mm
SSH3216505G	320x160 cm - 123"x63"	uni ice natural	natural	12 mm
SSH3216505G20	320x160 cm - 123"x63"	uni ice natural	natural	20 mm
SSP3216505G	320x160 cm - 123"x63"	uni ice polished	polished	12 mm
SSH3216633G	320x160 cm - 123"x63"	breccia imperiale natural	natural	12 mm

NOTA 1:
I mateiali SapienStone in 12/20mm sono soggetti a variazioni cromatiche rispetto agli stessi materiali in 6mm di Maximum, essendo realizzati combinando materie prime naturali e attraverso processi produttivi distinti.

NOTA 2:
Le lastre SapienStone si possono acquistare solo attraverso il distributore autorizzato di zona.

NOTE 1:
SapienStone 12/20 mm materials are subject to colour variations compared to the same 6 mm Maximum materials because they are made from a combination of natural raw materials with separate production processes.

NOTE 2:
SapienStone ceramic surfaces can only be purchased from local authorised retailers.

NOTE 1 :
Les matériaux SapienStone de 12/20 mm sont sujets à des variations chromatiques par rapport aux mêmes matériaux de 6 mm de Maximum, car ils sont réalisés en combinant des matières premières naturelles et selon des processus de fabrication distincts.

NOTE 2 :
Les panneaux SapienStone peuvent uniquement être achetés chez un revendeur agréé.

ANMERKUNG 1:
Die SapienStone-Materialien Maximum in einer Stärke von 12/20 mm unterliegen Farbabweichungen im Vergleich zu der 6 mm-Version, da sie durch die Kombination natürlicher Rohstoffe und in unterschiedlichen Produktionsprozesse hergestellt werden.

ANMERKUNG 2:
SapienStone-Oberflächen können nur über Ihren lokalen Vertragshändler bezogen werden.

NOTA 1:
Los materiales SapienStone de 12/20mm están sujetos a variaciones cromáticas respecto de los mismos materiales en el espesor de 6mm de Maximum, ya que se elaboran combinando materias primas naturales a través de distintos procesos de producción.

NOTA 2:
Las tablas SapienStone se pueden adquirir solamente a través del distribuidor autorizado de zona.

PHYSICAL PROPERTIES

Classificazione Gruppo Bla secondo le norme EN 14411 All. G e ISO 13006 All. G / Classification Bla Group in accordance with EN 14411 annex G and ISO 13006 annex G. / Klassifizierung der Bla Gruppe gemäß der EN 14411 Anl. G und ISO 13006 Anl. G Normen / Classification groupe Bla selon les normes EN 14411 All.G et ISO 13006 All.G

PROPRIETÀ CHIMICO – FISICHE CHEMICAL - PHYSICAL PROPERTIES CHEMISCH PHYSISCHE EIGENSCHAFTEN PROPRIÉTÉS CHIMICO – PHYSIQUES	NORMA REGULATION NORMEN NORME	VALORE PRESCRITTO REQUIRED VALUE VORGESCHRIEBENER WERT VALUER PRESCRITE	VALORI MEDI AVERAGE VALUES DURCHSCHNITTSWERTE VALEURS MOYENNES
Dimensioni Sizes / Abmessungen / Dimensions	ISO 10545-2	± 0,6% max Lunghezza e larghezza / Lenght and width / Länge und breite / Longueur et largeur	± 0,1% Lunghezza e larghezza / Lenght and width / Länge und breite / Longueur et largeur
		± 5% max Spessore / Thickness / Stärke / Epaisseur	± 5% Spessore / Thickness / Stärke / Epaisseur
		± 0,5% max Rettilineità spigoli / Linearity / Kantengeradheit / Rectitude des arêtes	± 0,1% Rettilineità spigoli / Linearity / Kantengeradheit / Rectitude des arêtes
		± 0,5% max Ortogonalità / Wedging / Rechtwinkligkeit / Orthogonalité	± 0,1% Ortogonalità / Wedging / Rechtwinkligkeit / Orthogonalité
		± 0,5% max Planarità / Warpage / Ebenflächigkeit / Planéité	± 0,2% Planarità / Warpage / Ebenflächigkeit / Planéité
Assorbimento d'acqua Water absorption / Wasseraufnahme / Absorption d'eau	ISO 10545-3	⩽ 0,5 %	< 0,1 %
Modulo di rottura (r) / Moduls of rupture (r) / Bruchmodul (r) / Module de rupture (r)	ISO 10545-4	⩾ 35 N/mm²	49 N/mm²
Sforzo di rottura (s) / Breaking strength (s) / Bruchkraft (s) / Force de rupture (s)		< 7,5mm = ⩾ 700 N Spessore/ Thickness/ Stärke/ Epaisseur	Conforme / Conforms / Konform / Conforme
Resistenza all'abrasione profonda / Deep abrasion resistance / Tiefverschleissbeständigkeit / Resistance a l'abrasion profonde	ISO 10545-6	max 175 mm³	140 mm³
Dilatazione termica lineare Coefficient of linear thermal expansion / Linearer wärmeausdehnungskoeffizient / Dilatation thermique lineaire	ISO 10545-8	Metodo di prova disponibile / Testing method available / Verfügbares prüfverfahren / Méthode d'essai disponible	6,5x10^{-6} °C^{-1}
Resistenza sbalzi termici Resistance to thermal shocks / Temperaturwechselbeständigkeit / Resistance aux ecarts de temperature	ISO 10545-9	Metodo di prova disponibile / Testing method available / Verfügbares prüfverfahren / Méthode d'essai disponible	Resistente / Resistant / Beständig / Resistant
Resistenza al gelo Frost resistance / Frostbeständigkeit / Resistance au gel	ISO 10545-12	Nessun campione deve presentare rotture o alterazioni apprezzabili della superficie / No sample must show alterations to surface / Die Muster sollen weder Bruch noch Schäden an der Oberfläche aufweisen / Aucun échantillon ne doit présenter de ruptures ou d'altérations considérables de la surface	Conforme / Conforms / Konform / Conforme
Resistenza ai prodotti chimici Resistance to chemical products / Chemikalienbeständigkeit / Resistance aux produits chimiques	ISO 10545-13	Resistenza prodotti chimici uso domestico e additivi per piscina (min. classe B) / Resistance to household chemicals and pool additives (min. class B) / Haushaltschemikalien und Pooladditive Beständigkeit (min. Klasse B) / Résistance aux produits chimiques, usage domestique et additifs pour piscine (classe B minimum)	Superfici: / Surfaces: / Oberflächen: / Surfaces: A - Flamed - Structured - Natural - Natural Plus | A - Polished - Silky - Top Lapped
		Resistenza acidi e alcalini a bassa concentrazione / Resistance to acids and alkalis at low concentration / Alkali- und Säurebeständigkeit in niedriger Konzentration / Résistance aux acides et alcalins à concentration faible	LA - Flamed - Structured - Natural - Natural Plus | LB - Polished - Silky - Top Lapped
		Resistenza acidi e alcalini a alta concentrazione / Resistance to highly concentrated acid and alkaline products / Hochkonzentrierte Säure- und Alkalibeständigkeit / Résistance aux acides et alcalins à concentration élevée	HA - Flamed - Structured - Natural - Natural Plus | HB - Polished - Silky - Top Lapped
Resistenza alle macchie Stain resistance / Fleckenbeständigkeit / Resistance aux taches	ISO 10545-14	Metodo di prova disponibile / Testing method available / Verfügbares prüfverfahren / Méthode d'essai disponible	Superfici: / Surfaces: / Oberflächen: / Surfaces: Flamed / Structured / Natural / Natural Plus Classe 5 Polished / Silky / Top Lapped Disponibili a richiesta le classificazioni/ Classifications available on request / Klassifizierungen sind auf Anfrage erhältlich / Les classifications sont disponibles sur demande
Resistenza colori alla luce Resistance to light / Lichtbeständigkeit der farben/ Resistance des couleurs a la lumiere	DIN 51094	Nessun campione deve presentare apprezzabili variazioni di colore / No sample must show noticeable colour change / Kein Exemplar soll sichtbare Farbveränderungen aufweisen / Aucun échantillon ne doit présenter de variations importantes des couleurs	Campioni inalterati in brillantezza e colore / No change in brightness or colour / Glanz und Farbe der Muster unverändert / Echantillons inchangés en brillance et couleur
Resisitenza allo scivolamento / Slip resistance classification / Klassifizierung der rutschfestigkeit / Résistance au glissement	BCR-DM 236/89	μ > 0,40	Disponibili a richiesta le classificazioni / Classifications available on request / Klassifizierungen sind auf Anfrage erhältlich / Les classifications sont disponibles sur demande **
	ANSI A326.3 (BOT 3000)	I D - DCOF ⩾ 0.42 (Dry) I W - DCOF ⩾ 0.42 (Wet)	
	DIN EN 16165-B (ex DIN 51130)**	Metodo di prova disponibile / Testing method available / Verfügbares prüfverfahren / Méthode d'essai disponible	
	DIN EN 16165-A (ex DIN 51097)**		
Reazione al fuoco / Reaction to fire / Reaktion auf feuer / Réaction au feu	96/603/CE	Prova assente / Not applicable / Nicht anwendbar / Pas d'essai	A1 – A1$_{FL}$

SAFE SYSTEM

Resisitenza allo scivolamento / Slip resistance classification / Klassifizierung der rutschfestigkeit / Résistance au glissement

NORMA DIN EN 16165-B** — R9 6° - 10°

COLLEZIONE / COLLECTION / KOLLEKTION / COLLECTION		FINITURA / FINISHES / OBERFLÄCHEN AUSFÜHRUNG / SURFACES	DIN EN 16165-A
MARMI MAXIMUM		natural	A
		top lapped	A
		active	-
AION MAXIMUM		natural	A
MEGALITH MAXIMUM		natural	A
ASTER MAXIMUM		natural	-
HQ RESIN MAXIMUM		natural	-
DATAUNI MAXIMUM		natural	-
		active	-
PIETRE MAXIMUM		active	-
CEMENTI MAXIMUM		active	-

NORMA DIN EN 16165-B** — R10 10° - 19°

COLLEZIONE / COLLECTION / KOLLEKTION / COLLECTION		FINITURA / FINISHES / OBERFLÄCHEN AUSFÜHRUNG / SURFACES	DIN EN 16165-A
MARMI MAXIMUM		natural plus	A+B
GRANITI MAXIMUM		top lapped	A+B
		natural plus	A+B
FJORD MAXIMUM		natural plus	A+B
PIETRE MAXIMUM		top lapped	A+B
		flamed	A+B
QUIETSTONE MAXIMUM		structured	-
BALANCE		natural plus	A+B

Rettificato monocalibro / Rectified single-calibre / Rektifiziert einkalibrig / Rectifié monocalibre

** I valori di resistenza allo scivolamento, coefficiente di attrito statico o dinamico, riportati sul catalogo e nella tabella Safe System sono da ritenersi puramente indicativi e non vincolanti. Ogni eventuale specifica necessità dovrà essere da noi confermata al momento dell'ordine e comunque sempre prima della posa.

** Slip resistance values, coefficient of static or dynamic friction, in the catalog and in the Safe System Table are purely indicative and not binding. Any specific requirements must be confirmed by us at the time of ordering and in any case before installation.

** Die Werte für die Rutschfestigkeit, also des statischen oder dynamischen Reibungskoeffizienten, die im Katalog oder in der Tabelle Safe System aufgeführt sind, sind als unverbindliche Richtwerte anzusehen. Alle spezifischen Anforderungen müssen von uns bei der Bestellung und in jedem Fall vor der Verlegung immer bestätigt werden.

** Les valeurs de résistance au glissement, le coefficient de frottement statique ou dynamique, indiqués sur le catalogue et sur le tableau Safe System (Système de Sécurité) doivent être considérés comme purement indicatifs et ne sauraient engager notre responsabilité. Toutes les éventuelles spécifications nécessaires devront faire l'objet d'une confirmation de notre part au moment de la commande et en tout état de cause avant la pose.

ACTIVE SURFACES®
TESTS CARRIED OUT IN ACCORDANCE WITH ISO STANDARDS

Test realizzati secondo le Norme ISO - Tests Werden nach ISO-Normen Durchgeführt - Essais Réalisés selon les Normes ISO - Tests realizados según las Normas ISO

BENEFITS	Norme	TEST
ANTIBACTERIAL & ANTIVIRAL Antibatterico & Antivirale Antibakteriell & Antiviral Antibactérien & Antiviral Antibacteriano & Antiviral	**ISO 22196**	**ANTIBACTERIAL ACTIVITY UNDER DARK CONDITIONS** Attività antibatterica al buio / Antibakterielle Aktivität im Dunkeln / Activité antibactérienne dans l'obscurité / Actividad antibacteriana en la oscuridad
		ANTIBACTERIAL ACTIVITY (ANTIBIOTIC-RESISTANT BACTERIA) UNDER DARK CONDITIONS Attività antibatterica (batteri antibiotico-resistenti) al buio. / Antibakterielle Aktivität (antibiotikaresistente Bakterien) im Dunkeln. / Activité antibactérienne (bactéries résistantes aux antibiotiques) dans l'obscurité. / Actividad antibacteriana (bacterias antibiótico-resistentes) en la oscuridad.
	ISO 27447	**ANTIBACTERIAL ACTIVITY UNDER UV LIGHT** Attività antibatterica con luce UV / Antibakterielle Aktivität unter UV-Licht / Activité antibactérienne avec lumière UV / Actividad antibacteriana con luz UV
		ANTIBACTERIAL ACTIVITY (ANTIBIOTIC-RESISTANT BACTERIA) UNDER UV LIGHT Attività antibatterica (batteri antibiotico-resistenti) con luce UV / Antibakterielle Aktivität (antibiotikaresistente Bakterien) unter UV-Licht / Activité antibactérienne (bactéries résistantes aux antibiotiques) avec lumière UV / Actividad antibacteriana (bacterias antibiótico-resistentes) con luz UV
	ISO 18061:2020	**ANTIVIRAL TEST UNDER UV LIGHT FOR 6 HOURS - INFLUENZA A (H3N2 VARIANT) VIRUS AND POLIOMYELITIS VIRUS** Test antivirale con luce uv per 6 ore - virus influenza H3N2 e virus poliomielite / Antiviraler Test unter UV-Licht über 6 Stunden - Influenza-H3N2-Virus und Polio-Virus / Essai antiviral avec lumière UV pendant 6 heures - virus H3N2 de la grippe et virus de la poliomyélite / Test antiviral con luz UV durante 6 horas - virus influenza H3N2 y virus poliomielitis
	ISO 21702:2020	**ANTIVIRAL TEST UNDER DARK CONDITIONS - INFLUENZA A (H3N2 VARIANT) VIRUS AND POLIOMYELITIS VIRUS** Test antivirale al buio – virus influenza H3N2 e virus poliomielite / Antivirale Tests im Dunkeln - H3N2-Grippevirus und Poliomyelitis-Virus / Essai antiviral dans l'obscurité - virus H3N2 de la grippe et virus de la poliomyélite / Test antiviral en la oscuridad - virus influenza H3N2 y virus poliomielitis
	ISO 18061:2014	**PHOTOCATALYTIC ANTIVIRAL TEST - INFLUENZA A (SUBTYPE H1N1) VIRUS** Test antivirale fotocatalitico - influenza a virus H1N1 / Photokatalytischer antiviraler Test - Influenza-H1N1-Virus / Essai antiviral photocatalytique - virus H1N1 de la grippe / Test antiviral fotocatalítico - virus influenza H1N1
	ISO 21702:2019	**ANTIVIRAL TEST UNDER DARK CONDITIONS - INFLUENZA A (SUBTYPE H1N1) VIRUS** Test antivirale al buio - influenza a virus H1N1 / Antiviraler Test im Dunkeln - Influenza-H1N1-Virus / Essai antiviral dans l'obscurité - virus H1N1 de la grippe / Test antiviral en la oscuridad - virus influenza H1N1
	ISO 18061:2014	**PHOTOCATALYTIC ANTIVIRAL TEST - ENTEROVIRUS 71** Test antivirale fotocatalitico - Enterovirus 71 / Photokatalytischer antiviraler Test - Enterovirus 71 / Essai antiviral photocatalytique - Entérovirus 71 / Test antiviral fotocatalítico - Enterovirus 71
	ISO 18061:2014	**PHOTOCATALYTIC ANTIVIRAL TEST - ENTEROVIRUS 71** Test antivirale fotocatalitico - Enterovirus 71 / Photokatalytischer antiviraler Test - Enterovirus 71 / Essai antiviral photocatalytique - Entérovirus 71 / Test antiviral fotocatalítico - Enterovirus 71
	ISO 22197-1	**ANTIBACTERIAL ACTIVITY UNDER DARK CONDITIONS** Attività antibatterica al buio / Antibakterielle Aktivität im Dunkeln Activité antibactérienne dans l'obscurité / Actividad antibacteriana en la oscuridad
		REDUCTION OF NITROUS OXIDE (NO) Abbattimento di ossido nitroso (NO) / Reduktion von Lachgas (NO) / Diminution du protoxyde d'azote (NO) / Reducción de óxido nitroso (NO)
	UNI 11021	**ANTI-MOLD (SINGLE STRAIN) TEST UNDER REAL CONDITIONS** Test antimuffa con ceppo singolo in condizioni reali / Anti-Schimmel-Test mit Einzelstamm unter realen Bedingungen/ Essai antimoisissure avec une seule souche dans des conditions réelles / Test antimoho con cepa simple en condiciones reales
ANTI-POLLUTION Anti-inquinamento Schadstoffabbauend Anti-pollution Anticontaminante	**UNI 9805**	**ANTI-MOLD (MIXED STRAINS) TEST UNDER SIMULATED CONDITIONS** Test antimuffa con ceppi in miscela in condizioni simulate / Anti-Schimmel-Test mit gemischten Stämmen unter simulierten Bedingungen / Essai antimoisissure avec souches mélangées dans des conditions simulées / Test antimoho con cepa en mezcla en condiciones simuladas
	UNI EN 15457:2014	**RESISTANCE TO FUNGAL GROWTH** Efficace nella resistenza allo sviluppo fungino / Effiziente Resistenz gegen Pilzentwicklung Efficacité contre les champignons / Eficaz en la resistencia al desarrollo de hongos
OTHER Altro Sonstiges Autre Otros	**C0311961-01:2020**	**NSF INTERNATIONAL CERTIFICATION** Certificazione NFS International / Zertifizierung durch NFS International / Certification NFS International / Certificación NFS International

OUR CERTIFICATIONS MAY BE VIEWED AND DOWNLOADED FROM THE WEBSITE: www.active-ceramic.com/certifications

I nostri certificati sono consultabili e scaricabili dal sito: www.active-ceramic.it/certificazioni
Unsere zertikate können auf der website: www.active-ceramic.com/certifications eingesehen und heruntergeladen werden.
Nos certificats sont consultables et téléchargeables sur le site : www.active-ceramic.com/certifications
Nuestros certificados se pueden consultar y descargar del sitio: www.active-ceramic.com/certifications

ACTIVE SURFACES® CUSTOMIZATION

La fornitura dei materiali indicati potrà essere effettuata solo a palette intere. Verranno valutate richieste per ordini uguali o superiori a 800 mq e previa conferma campione del materiale trattato. La consegna avverrà entro tre mesi dalla conferma d'ordine. Il trattamento ACTIVE SURFACES® può indurre leggere variazioni cromatiche e di brillantezza sui materiali, più sensibili sui colori scuri.

Please note that the materials indicated will be supplied only on full pallets. Specific requests will be evaluated only for orders of 800 sqm. or more and after the approval of a sample of the processed material. The delivery will take place within three months after the date on which the order has been confirmed. ACTIVE SURFACES® treatment can induce slight variations of colors and brightness on the materials, more noticeable on the dark colors.

Die Lieferung diese Materialien ist nur für volle Paletten. Die Lieferung des Materialien wird nur im Falle eines Auftrags von 800 qm oder darüber berücksichtigt und nur mit unserer diesbezüglichen Bestätigung von behandelten Material. Der Lieferzeit wird innerhalb von drei Monaten ab der Auftragsbestätigung sein. Die ACTIVE SURFACES® Behandlung kann leichte Farb- und Glanzabweichungen auf den Materialien zur Folge haben. Bei dunklen Farben sind diese leichter bemerkbar.

Nous tenons à préciser que la fourniture des matériaux indiqués ne pourra être effectuée que par palette entière. Demandes seront évaluée uniquement pour des commandes de l'ordre de 800 m2 ou plus et après confirmation de l'échantillon de matière traitée. La livraison sera effectués dans des délais de trois mois à compter de la date de confirmation de la commande. Le traitement ACTIVE SURFACES® peut induire de légères variations de couleur et de luminosité sur les matériaux, le plus sensible sur les couleurs foncées.

El suministro de los materiales indicados sólo pueden ser llevadas a toda paleta. Las solicitudes se evaluarán sólo para pedidos iguales o superiores a 800 m2 y con sujeción a la confirmación de la muestra de material tratado. Entrega será de un plazo de tres meses después de la confirmación del pedido. ACTIVE SURFACES® tratamiento puede provocar ligeras variaciones de color y el brillo de los materiales, los más sensibles en los colores oscuros.

TECHNICAL NOTES

Le collezioni GranitiFiandre sono materiali soggetti a variazioni cromatiche e/o di venatura essendo prodotti della natura e dell'uomo. Tali materiali, venduti, visti e graditi, presentano caratteristiche di alto pregio in relazione alle varianti cromatiche e/o di venatura dei singoli pezzi. GranitiFiandre si riserva di apportare modifiche senza preavviso ai prodotti, declinando ogni responsabilità per danni diretti o indiretti da eventuali modifiche.

Listelli, tozzetti e pezzi speciali sono forniti in tonalità differenziate.
Su richiesta, tutti i materiali possono essere forniti squadrati e rettificati, con un aumento sul prezzo netto di Euro 3,10/mq. pari al puro costo di lavorazione.
I pezzi speciali sono venduti solo a scatole complete.

The GranitiFiandre collections are materials subject to variations in colour and/or vein, as they are natural and man-made products. These items, sold, seen and agreed, are featuring high value characteristics in regard to the colour and/or vein variations of the different pieces. GranitiFiandre keeps the right to change all the mentioned items without notice and declining any responsibility for direct or indirect damage caused from these changes.

Listels, dots and special pieces are subject to slight shade variations.
Upon request, all the materials can be supplied squared and rectified with an increase on the net price of Euro 3,10/sqm. equal to the pure manufacturing cost.
Special pieces are sold by full boxes only.

Die Kollektionen GranitiFiandre sind Materialien die Farb-und/oder Änderungsabweichungen aufweisen können, da sie Produkte der Natur und des Menschen sind. Dieses verkaufte, gesehene und angenommene, Material zeigt hochwertige Eigenschaften, was die Farben-und/oder Änderungsvarianten der einzelnen Stücke betrifft. GranitiFiandre behält sich vor, ohne Ankündigung Änderungen an den Produkten vorzunehmen, und lehnt jede Haftung für direkte oder indirekte Schäden durch eventuelle Änderungen ab.

Riemchen, Einleger und Sonderstücke werden in differenzierten Brandfarben geliefert.
Auf Anfrage, können alle Materialien absolut Rechtwinkelig und kalibriert geliefert werden mit einen Erhöhnung von Euro 3,10/Qm auf dem Nettopreis, welche den zusätzlichen Produktionkosten entspricht.
Die Formteile sind nur in kompletten Kartons verkäuflich.

Les collections de GranitiFiandre son matériaux sujets à des variations chromatiques et/ou de veine étant des produits de la nature et de l'homme. Ces matériaux, vendus, vus et agréés, présentent des caractéristiques de grande valeur en ce qui concerne les variantes chromatiques et/ou de la veinure des différentes pièces. GranitiFiandre se réserve le droit d'apporter, sans préavis, des modifications aux produits, et décline toute responsabilité pour dommages directs ou indirects, des éventuelles modifications.

Listels, cabochons et pièces spéciales sont fournis dans des tonalités differenciées.
Sur demande tous les matériaux peuvent être fournis parfaitement d'équerre et rectifies avec une augmentation du prix net de Euro 3,10/m2 pour le côut de l'elaboration.
Les pièces spéciales sont fournis seulement par boîte complète.

Las colecciones GranitiFiandre son materiales sujetos a variaciones de colores y/o de vetas, por ser productos creados por la naturaleza y el hombre. Dichos materiales, vendidos "vistos y aceptados", presentan características de gran valor por lo que respecta a las variaciones de colores y/o de vetas de las distintas piezas. GranitiFiandre se reserva el efectuar cambios sin previo aviso en los productos y no asume responsabilidad alguna por los daños directos o indirectos de posibles cambios.

Listelos, tacos decorativos y piezas especiales se suministran en tonalidades diferenciadas.
Bajo pedido, todos los materiales podrán suministrarse escuadrados y rectificados, con un sobre precio de 3,10 Euros/mq. netos, que equivale solo al coste de producción.
Las piezas especiales se venden solo por cajas completas.

VARIATIONS IN APPEARANCE

VARIAZIONI TECNOLOGICHE ED ESTETICHE
Per conferire alle superfici ceramiche ampia versatilità applicativa, Fiandre si avvale di molteplici tecnologie produttive (es: gres porcellanato in grande formato Maximum Fiandre Extralite®, gres porcellanato tradizionale e tecnica full-bodied). Ne consegue che lo stesso materiale, realizzato attraverso tecnologie distinte in impianti produttivi dedicati, può presentare lievi variazioni cromatiche e/o estetiche.

VARIATIONS IN APPEARANCE TECHNOLOGY AND AESTHETICS
In order to ensure that ceramic surfaces have a wide range of application possibilities, Fiandre uses various production technologies (e.g., Maximum Fiandre Extralite® large format porcelain stoneware, conventional porcelain stoneware, and the full-bodied technique). This means that a material that is manufactured using different technologies in specialized production facilities may vary slightly in color and/or appearance.


ÄSTHETISCHE VARIATIONEN TECHNOLOGIE UND ÄSTHETIK
Um keramischen Oberflächen eine größtmögliche Anwendungsvielfalt zu verleihen, setzt Fiandre mehrere Produktionstechnologien ein (z.B. das großformatige Feinsteinzeug Maximum Fiandre Extralite®, traditionelles Feinsteinzeug und die Full-Body-Durchfärbung). Daraus folgt, dass ein und dasselbe Material, das mit unterschiedlichen Technologien in hoch spezialisierten Produktionsstätten hergestellt wird, leichte Abweichungen in Farbe und/oder Aussehen aufweisen kann.

VARIATIONS ESTHÉTIQUES TECHNOLOGIE ET ESTHÉTIQUE
Pour conférer aux surfaces céramiques une grande polyvalence d'application, Fiandre utilise de nombreuses technologies de production (par exemple, grès cérame grand format Maximum Fiandre Extralite®, grès cérame traditionnel et technique full-bodied). Par conséquent, le même matériau, réalisé avec des technologies différentes dans des usines dédiées, peut présenter de légères variations chromatiques et/ou esthétiques.

VARIACIONES ESTÉTICAS TECNOLOGÍA Y ESTÉTICA
Para conferir a las superficies cerámicas una amplia versatilidad aplicativa, Fiandre se vale de numerosas tecnologías productivas (ej: gres porcelánico en formato grande Maximum Fiandre Extralite®, gres porcelánico tradicional y técnica full-bodied). Por consiguiente, el mismo material, realizado a través de tecnologías diferentes en plantas de producción específicas, puede presentar leves variaciones cromáticas y/o estéticas.

CLEANING AND MAINTAINANCE

DEGREE OF COLOUR CHANGE



V1	V2	V3	V4
Uniforme	Lieve	Forte	Sostanziale
Even	Light	Strong	Substantial
Gleichmäßig	Leicht	Stark	Erheblich
Uniforme	Léger	Forte	Substantiel
Uniforme	Leve	Fuerte	Sustancial

MARMI MAXIMUM

Alpi Chiaro Venato Maximum	V3
Amazonite Maximum	V4
Apuano Purissimo Maximum	V3
Arabescato Orobico Maximum	V3
Bardiglio Sublime Maximum	V3
Blue Tempest Maximum	V4
Breccia Imperiale Maximum	V3
Breccia Mirabile Maximum	V3
Breccia Sarda Maximum	V3
Bright Onyx Maximum	V3
Calacatta Maximum	V3
Calacatta Bellissimo Maximum	V3
Calacatta Dorato Maximum	V3
Calacatta Statuario Maximum	V3
Camouflage Maximum	V3
Cremo Superiore Maximum	V3
Dama Bianca Maximum	V3
Dark Marquina Maximum	V3
Deep Emperador Maximum	V3
Divine Blue Maximum	V3
Ethereal Travertino Maximum	V3
Glam Bronze Maximum	V3
Gold Onyx Maximum	V3
Invisible Maximum	V3
Irish Green Maximum	V3
Lepanto Rubino Maximum	V3
Majestic Onyx Maximum	V3
Marbre De Savoie Maximum	V3
Nebula Grigia Maximum	V3
Nero Damascato Maximum	V3
Palissandro White Maximum	V3
Panda White Maximum	V4
Patagonia Maximum	V4
Pietra Grey Maximum	V3
Premium White Maximum	V3
Pure Calacatta Maximum	V3
Sahara Noir Maximum	V3
Silver Root Maximum	V3
Taxos Maximum	V2
Travertino Maximum	V3
Verde Fantastico Maximum	V3
White Beauty Maximum	V4

AION MAXIMUM	V3
BALANCE	V2
DATAUNI MAXIMUM	V1
FJORD MAXIMUM	V2
GRANITI MAXIMUM	V3
LUCE / By Guillermo Mariotto	V2
MEGALITH MAXIMUM	V2
PIETRE MAXIMUM	V3
QUIETSTONES MAXIMUM	V2
SELENITE MAXIMUM	V3

ENVIRONMENT INFORMATION

INFORMAZIONI AMBIENTALI
I prodotti contrassegnati da questo simbolo sono realizzati utilizzando almeno il 40% di materiale riciclato. Rispettano i requisiti LEED (Leadership in Energy and Environmental Design) per quanto concerne il criterio 4.1, relativo al "Contenuto di Materiale Riciclato".

ENVIRONMENT INFORMATION
The products bearing this symbol have been manufactured using at least 40% of recycled material. They comply with LEED (Leadership in Energy and Environmental Design) requirements as regards criterion 4.1 regarding "Recycled Material Content".

UMWELTSCHUTZINFORMATIONEN
Die dieses Symbol tragenden Erzeugnisse wurden unter Verwendung von mindestens 40% wiederverwertbarem Material hergestellt. Sie erfüllen die LEED-Anforderungen (Leadership in Energy and Environmental Design) im Hinblick auf das Kriterium 4.1. („Gehalt an recyceltem Material").

INFORMATIONS SUR L'ENVIRONNEMENT
Les produits portant ce symbole ont un contenu recyclée 40% minimum. Ils remplissent les prescriptions LEED (Leadership in Energy and Environmental Design) pour le créit 4.1 « Contenu recyclé'ca».

INFORMACIÓN MEDIOAMBIENTAL
Los productos que llevan este símbolo han sido fabricados con al menos el 40% de material reciclado. Cumplen los requisitos LEED (Leadership in Energy and Environmental Design – Liderazgo en energía y diseño medioambiental) por lo que concierne al criterio 4.1, relativo al "Contenido de material reciclado".

CERTIFICATIONS

PRODUCT CERTIFICATIONS

LEED & BREEAM (ENVIRONMENTAL PROTOCOLS)

Leadership in Energy and Environmental Design is a voluntary system developed by the US Green Building Council (USGBC), recognised internationally, for the classification and certification of green buildings.

Building Research Establishment Environmental Assessment Method (BREEAM) is a European reference standard for the best practices in the design, construction and management of sustainable buildings.

Iris Ceramica Group materials have been LEED and BREEAM certified since 2008, even though they fully met such standards much earlier, being designed and manufactured with very high percentages of recycled material (>40% weight).

Leadership in Energy and Environmental Design è un sistema volontario sviluppato dal US Green Building Council (USGBC), riconosciuta a livello internazionale, per la classificazione e la certificazione dell'ecosostenibilità degli edifici.

Building Research Establishment Environmental Assessment Method (BREEAM) è uno standard di riferimento a livello europeo per le migliori pratiche nella progettazione, costruzione e gestione di edifici sostenibili.

I materiali Iris Ceramica Group sono certificati LEED e BREEAM dall'anno 2008, anche se vi rispondevano pienamente già da prima, essendo progettati e realizzati con una elevatissima percentuale di materiale di recupero (>40% in peso).

GREENGUARD AND GREENGUARD GOLD

GreenGuard guarantee that the materials intended for indoor use have practically zero volatile organic compound (VOC) emissions. GreenGuard Gold, recognised and accepted by green building programmes worldwide, certifies the total absence of risks even in places where particularly sensitive people such as children or the elderly spend time.

GreenGuard garantisce che i materiali destinati agli ambienti interni siano caratterizzati da emissioni di sostanze volatili (COV) praticamente nulle. GreenGuard Gold, riconosciuta e accettata dai programmi di edilizia sostenibile a livello globale, attesta la totale assenza di rischi anche in luoghi ove sia abituale la presenza di soggetti particolarmente sensibili come bambini e anziani.

ENVIRONMENTAL PRODUCT DECLARATION (EPD®)

See official listing
www.environdec.com

The EPD is a voluntary international certification scheme, based on the analysis of the product life cycle in accordance with standard EN 1580414. Iris Ceramica Group has conducted a Life Cycle Assessment (LCA15) using the "from cradle to grave" format, publishing the results in its specific Environmental Product Declaration (EPD) for products belonging exclusively to the company, which provided precise data on the environmental performance of its materials.
In 2022, the EPD was updated, allowing us to include within the scope of the certification also the German site, and the study was launched to determine the Product Carbon FootPrint (in accordance with standard ISO 14067) linked to the whole life cycle of Iris Ceramica Group materials, including both the Italian and German sites.
Parallel to the Product Carbon Footprint, a study will also be conducted for the implementation of the FDES (Fiche Déclaration Environnementale et Sanitaire), concerning building products for the French market, which describes the environmental and health performances of construction materials.

L'EPD è uno schema di certificazione volontario di valenza internazionale, basato sull'analisi del ciclo di vita del prodotto in accordo alla norma EN 1580414. Iris Ceramica Group ha condotto un'analisi di Life Cycle Assessment (LCA15) utilizzando lo schema "from cradle to grave", pubblicando i risultati all'interno della Environmental Product Declaration (EPD) specifica di prodotto di proprietà esclusiva dell'Azienda che permette di fornire dati precisi sulle prestazioni ambientali dei propri materiali.
Nel 2022 è stato avviato un aggiornamento dell'EPD che permetterà di includere nello scopo di certificazione anche il sito tedesco ed è iniziato lo studio per determinare la Carbon FootPrint di Prodotto (in accordo alla norma ISO 14067) connessa all'intero ciclo di vita dei materiali Iris Ceramica Group, includendo sia i siti italiani, sia quello tedesco.
Parallelamente alla Carbon Footprint di Prodotto, verrà effettuato anche lo studio per l'implementazione della FDES (Fiche Déclaration Environnementale et Sanitaire), che riguarda i prodotti dell'edilizia per il mercato francese e descrive le prestazioni ambientali e sanitarie di un materiale da costruzione.

NFS/ANSI 51 - 2014 FOOD EQUIPMENT MATERIALS

See official listing
(www.nsf.org)
to identify which
models are
NSF Certified

Certification obtained in 2021 mainly for SapienStone products and applied to most of the large slabs of all the Brands. The NSF was developed for commercial spaces such as bars, restaurants, hotel kitchens and canteens, where ceramic slabs are now used, as well as counter-tops for the consumption of food and beverages, also in "Food Zones", such as work tops and bar counters. This certification offers a further guarantee of quality and safety for consumers.

Certificazione ottenuta nel 2021 principalmente per i prodotti SapienStone e applicata alla maggior parte delle grandi lastre di tutti i Brand. L'NSF è stata sviluppata per gli spazi commerciali come bar, ristoranti, cucine di hotel e mense, dove le lastre ceramiche trovano ora applicazione, oltre che come superfici di appoggio per la consumazione di cibi e bevande, anche nelle aree dove maggiore è il contatto diretto con gli alimenti (Food Zone), quali piani di lavoro e banconi di servizio bar. Questa certificazione offre un'ulteriore qualificata garanzia di qualità e sicurezza per i consumatori.

REVÊTEMENTS DE SOL

UPEC classification associated with the QB certification mark attests to the compliance of floor and wall coverings with the technical requirements set out in certification reference documents. It assigns classifications of use indicating that the durability of a product is appropriate for use on specific types of premises.
The list of the certified products is available at http://evaluation.cstb.fr/

SYSTEM CERTIFICATIONS

ECO-MANAGEMENT AND AUDIT SCHEME (EMAS)

The EU Eco-Management and Audit Scheme (EMAS) is a voluntary certification developed by the European Commission for businesses and other organisations, aiming to assess, report on and improve their environmental performance. Among other things, it includes the drafting of an Environmental Declaration that must be validated following an audit by an accredited third-party body.

L'EU Eco-Management and Audit Scheme (EMAS) è uno strumento di certificazione volontario sviluppato dalla Commissione europea per le aziende e altre organizzazioni al fine di valutare, riferire e migliorare le loro prestazioni ambientali. Prevede, tra le altre cose, la redazione di una Dichiarazione Ambientale che deve essere convalidata previa verifica da parte di un Ente terzo accreditato.

ISO 45001

Occupational health and safety management systems. Defines the minimum standards of good practice for worker protection worldwide; it sets out to identify in advance the whole range of risks and hazards that can occur in the work place.

Sistemi di gestione per la salute e sicurezza sul lavoro. Definisce gli standard minimi di buona pratica per la protezione dei lavoratori in tutto il mondo; si propone di conoscere in anticipo tutto il range di rischi e pericoli che possono verificarsi sul posto di lavoro.

ISO 14001

Environmental management system. Certification since 2000, defining a systematic framework for the integration of practices to protect the environment, aiming to meet the legislative conformity obligations and tackle and assess risks and opportunities.

Sistema di gestione Ambientale. Certificazione attiva dal 2000 che definisce un quadro sistematico per l'integrazione delle pratiche a protezione dell'ambiente, volto a soddisfare gli obblighi di conformità legislativa ed affrontare e valutare i rischi e le opportunità.

ISO 50001

Energy Management System: international standard that, through the implementation of an energy management system, helps to continuously improve energy performance, reducing greenhouse gas emissions as well as the related energy costs.

Sistema di Gestione dell'Energia: standard internazionale che permette, attraverso l'implementazione di un sistema di gestione dell'energia, il miglioramento continuo della propria prestazione energetica, consentendo così una riduzione dell'emissione dei gas serra oltre che dei costi energetici correlati.

ISO 9001

Company quality system. The certification, which is valid internationally, concerns the whole company organisation, from research and development to production, from distribution to customer service.

Sistema di Qualità aziendale. La certificazione, valida a livello internazionale, riguarda l'intera Organizzazione aziendale, dalla ricerca e sviluppo, alla produzione, dalla distribuzione all'assistenza al cliente.

Declare label: a badge for construction materials, essentially functioning as a voluntary self-disclosure program. This initiative furnishes details about the material's composition, final assembly locations, lifespan, end-of-life options, and overall adherence to pertinent Living Building Challenge® (LBC) requirements.
Accessible through a complimentary database, Declare® labels prove to be an essential tool for designers and architects, empowering them to specify products aligning with the criteria of key green building standards, including Core Green Building certifications, LBC, LEED, and WELL.
All our materials hold the classification of being "Red List Free," affirming their absence of chemicals listed in the Living Building Challenge's "Red List."
More info available at
https://declare.living-future.org/products/ceramic-slabs.

GENERAL SALES CONDITIONS

CONDIZIONI GENERALI DI VENDITA

1. Normativa contrattuale
Le presenti condizioni generali, salvo eventuali modificazioni o deroghe concordate per iscritto, disciplinano tutti i contratti di vendita fra noi e l'acquirente, quindi tanto il contratto concluso con l'accettazione del presente ordine che qualsiasi contratto futuro relativo alle forniture dei prodotti della nostra società ordinati con successive e distinte commissioni. Le variazioni delle condizioni generali di vendita, le offerte, le transazioni, gli accrediti o gli abbuoni accordati dai nostri Agenti o altri intermediari, non sono validi se non accettati per iscritto dalla nostra sede e sono comunque limitati ai contratti cui si riferiscono.

2. Oggetto della fornitura
La fornitura comprende solamente le prestazioni, i materiali ed i quantitativi specificati nella nostra conferma d'ordine o in altre comunicazioni scritte provenienti da noi. Il testo della nostra conferma d'ordine prevarrà in ogni caso sul testo difforme della eventuale offerta o della ordinazione.
L'esecuzione parziale dell'ordine senza preventiva conferma non significa nostra approvazione per l'intero ordine, bensì approvazione parziale relativamente alla merce consegnata.
In questo caso la consegna della merce al vettore equivarrà ad accettazione da parte dell'acquirente della nuova proposta contrattuale.
Se non diversamente specificato nella proposta d'ordine, resta inteso che lo spessore del materiale oggetto della fornitura sarà quello normale, vale a dire **non maggiorato**, con riferimento a quanto indicato sul nostro listino e catalogo in vigore.

3. Conferma d'ordine
Qualora nella nostra conferma d'ordine esistano differenze nei singoli elementi che la compongono rispetto alle intese od alle ordinazioni, il compratore che non abbia contestato tali differenze con lettera raccomandata spedita entro dieci giorni dalla ricezione della conferma, é tenuto ad accettarla cosi come é stata redatta.

4. Consegne
La merce, anche se venduta "franco arrivo", o franco domicilio del compratore, viaggia a rischio e pericolo di quest'ultimo ed ogni nostra responsabilità cessa con la consegna al vettore, nei confronti del quale il compratore - effettuate le opportune verifiche - dovrà sporgere eventuali reclami.
L'approntamento della merce, sempre che disponibile al momento dell'ordine e fatto salvo quanto previsto al punto 1, non potrà essere richiesto prima di 3 giorni lavorativi dal ricevimento da parte nostra dell'ordine stesso.
Le spedizioni, via mare o via terra concernenti forniture sull'estero, vengono effettuate in base alle condizioni scelte di volta in volta, riportate negli "incoterms" approvati dalla Camera di Commercio Internazionale nel 1990 e nei successivi.

5. Termini di consegna
Il termine stabilito per la consegna della merce deve intendersi a favore di entrambi i contraenti. Salvo l'inserimento di particolari clausole, esso deve di norma considerarsi puramente indicativo e non essenziale. Quando siano intervenute modificazioni al contratto, il termine resta prorogato per un periodo uguale a quello inizialmente stabilito.
Ogni evento di forza maggiore sospende la decorrenza del termine per tutta la sua durata.
Se, in conseguenza di eventi di forza maggiore, il contratto non potrà trovare esecuzione entro i 60 giorni successivi al termine convenuto, ognuna delle due parti avrà la facoltà di recedere dal contratto stesso.
In tal caso la dichiarazione di recesso dovrà essere spedita alla controparte, a mezzo lettera raccomandata con ricevuta di ritorno entro i 10 giorni successivi allo scadere dei predetti 60 giorni, restando esclusi i reciproci diritti a indennizzi od a risarcimenti.

6. Pagamenti
Il luogo di pagamento é fissato presso la nostra Sede Amministrativa in Castellarano (RE), anche nel caso di emissione di tratte o ricevute bancarie, owero di rilascio di effetti cambiari: eventuale deroga a quanto sopra sarà valida soltanto se da noi concessa in forma scritta.
Per le forniture di materiali di importo inferiore a 1.550 euro (millecinquecentocinquanta) verrà emessa ricevuta bancaria con scadenza a 60 giorni data fattura, IVA compresa, indipendentemente dalle normali condizioni riservate all'acquirente.
Per i pagamenti previsti in più rate l'importo dell'IVA sarà comunque riscosso a mezzo ricevuta bancaria con scadenza a 30 giorni data fattura.

Il ritardo del pagamento (anche parziale) delle nostre fatture oltre la scadenza pattuita, darà luogo come previsto per legge all'immediata decorrenza degli interessi di mora, calcolati al tasso ufficiale di riferimento aumentato di 6 punti. Inoltre il mancato o ritardato pagamento anche parziale delle fatture - per qualsivoglia ragione - ci darà diritto, impregiudicata ogni altra iniziativa, di pretendere il pagamento anticipato delle restanti forniture. Il mancato o ritardato pagamento, anche parziale, del prezzo o del corrispettivo nei termini pattuiti è causa di risoluzione ex. art. 1456 cod. civ. del contratto cui si riferisce e giustifica in ogni coso, ex art. 1460 del Cod. Civ., il rifiuto di adempiere eventuali ulteriori obbligazioni contrattuali e di annullare l'evasione di eventuali altri ordini in corso, senza che il compratore possa avanzare pretese di compensi, indennizzi od altro.

7. Solve et repete
Nessuna eccezione, salvo quelle di nullità, annullabilità e rescissione del contratto, può essere opposta dall'acquirente, al fine di ritardare od evitare il pagamento.

8. Riserva di proprietà
Nel caso in cui il pagamento, per accordi contrattuali, debba essere effettuato - in tutto o in parte - dopo la consegna, i prodotti consegnati restano di nostra proprietà fino all'integrale pagamento del prezzo.

9. Garanzia e relativa clausola compromissoria
I nostri materiali sono garantiti conformi alle Norme UNI-DIN-EN attualmente in vigore.
La nostra garanzia é limitata ai materiali di prima scelta, con tolleranza del 5% (cinque per cento).
Qualsiasi garanzia per vizi rimane quindi espressamente esclusa per i materiali di seconda e di terza scelta o di stock e per le partite occasionali.
Le collezioni GranitiFiandre sono materiali soggetti a variazioni cromatiche e/o di venatura essendo prodotti della natura e dell'uomo. Tali materiali, venduti visti e graditi, presentano caratteristiche di alto pregio in relazione alle varianti cromatiche e/o di venatura dei singoli pezzi.
Si risponde solo ed esclusivamente della levigatura e della lucidatura effettuata nei nostri stabilimenti.
Eventuali reclami e contestazioni dovranno essere notificati, a pena di decadenza, a mezzo lettera raccomandata, unicamente presso la nostra Sede Amministrativa in Castellarano (RE), prima della posa in opera del materiale e comunque entro il termine perentorio di gg. 10 dalla ricezione del materiale e in ogni caso prima della sua successiva vendita a terzi.
La posa in opera del materiale determina la decadenza dall'azione per vizi tanto palesi che occulti, importando rinuncia implicita alla garanzia di cui all'art. 1490 c.c.
Le differenze di tonalità non possono essere denunciate come vizio del materiale.
In ogni caso la nostra garanzia comprende unicamente la sostituzione del materiale riscontrato difettoso con esclusione di ogni ulteriore e diversa obbligazione.
Eventuali contestazioni sul materiale non daranno diritto all'Acquirente di sospendere o ritardare in tutto o in parte il pagamento nei termini pattuiti, ai sensi del precedente articolo 7.
Ogni questione relativa all'accertamento dei vizi, del diritto alla garanzia, alla determinazione del danno ed alla sua quantificazione che non possa essere bonariamente risolta tra le parti sarà rimessa all'arbitrato libero di un arbitro unico da costituirsi e svolgersi secondo il regolamento della Camera Arbitrale istituita presso il Centro Ceramico Bologna che le parti dichiarano di accettare incondizionatamente ed inappellabilmente.

10. Divieto d'esportazione
Salvo accordi in contrario, é fatto divieto all'Acquirente di esportare i nostri materiali a lui forniti, o di cederli a Ditte o persone che ne facciano oggetto di esportazione.

11. Foro competente
Fermo restando quanto previsto al punto 9, foro esclusivamente competente per tutte le controversie è il tribunale di Reggio Emilia.

12. Effettività di ciascuna condizione
Le condizioni generali di vendita sopra riportate non devono assolutamente intendersi come clausole di puro stile.
Esse sono effettive e rappresentano fedelmente la volontà negoziale delle parti.

• Si risponde solo ed esclusivamente della levigatura effettuata nei nostri stabilimenti.
• Controllare e miscelare il materiale prima della messa in opera. Non si accettano contestazioniper il materiale posato.

(EN) GENERAL SALES CONDITIONS

1. Terms of contract
These general terms of sale apply to any sales agreement stipulated between the Customer and ourselves, without prejudice to any amendments or variations made and approved in writing. They therefore apply unconditionally starting from the acceptance of this order as well as any future agreement with regard to products to be supplied by our company covered by subsequent and distinct purchase orders. Any variations to the general terms of sale, offers, transactions, credit notes or rebates offered by our Sales Agents or any other intermediary are subject to the prior approval in writing of our Head Office and refer exclusively to the specific agreements in question.

2. Subject of the supply
The supply refers exclusively to the services, materials and quantities specified in the order confirmation or other written document issued by us. Should there be any discrepancy in the offer or purchase order, the order confirmation will be taken as the reference document. Shipping of partial orders does not imply approval of the full order unless this has been confirmed but is the partial confirmation of the shipped goods alone.
In such circumstances, the collection of the goods by the shipping company implies acceptance on the part of the Customer of the new contractual provisions.
Materials will be supplied in the standard thickness and not in a **special thickness** unless specified otherwise in the purchase order.
Consult our catalogue and price list for further details.

3. Order confirmation
The Customer must notify us by registered letter of any discrepancy found in the individual items listed in our order confirmation with respect to agreements or purchase orders within ten days after the order confirmation. Failure to do so implies tacit acceptance of the order confirmation.

4. Deliveries
Goods travel at the Customer's risk and responsibility, even should they be shipped "freight paid".
Our liability terminates when the shipping company takes collection of the goods. Any claims by the Customer should be made to the shipping company further to completion of the appropriate controls.
Goods will not be made ready for collection prior to three working days after receipt of the purchase order, subject to availability at the time of order and subject to the provisions described in paragraph 1.

Export deliveries by sea or land are subject to delivery conditions stipulated on a case by case basis according to the "incoterms" approved by the International Chamber of Commerce in 1990 and subsequent amendments.

5. Terms of delivery
The delivery date must be mutually acceptable to both parties. Without prejudice to specific clauses, the delivery date is not binding and should be considered an indication.
In the event of amendments to the contract, the delivery date will be extended for the same period of time as the original agreed delivery date.
Delivery will be suspended in case of conditions of force majeure and for the full duration of said event.
Should it prove impossible to complete the contract within 60 days after the agreed date as a result of conditions of force majeure, both parties will have the right to withdraw from the contract. In this case, the withdrawing party must notify the other party by registered letter with return receipt within 10 days of the conclusion of said 60 day period, without any right to indemnity or compensation.

6. Payment
Payment must be made out to our registered offices at Castellarano (Reggio Emilia, Italy), even if bills or letters of exchange or collection orders have been issued. Any exceptions must be approved by us in writing.
A collection order payable at 60 days will be issued for supplies of materials for amounts less than euro 1,550 (one thousand five hundred and fifty), inclusive of VAT, regardless of the Customer's normal terms. For payments to be made in several instalments, the VAT amount will be collected by means of a collection order payable 30 days after invoice date.

We have the legal right to apply interest on arrears at the official interest rate plus six percent in case of the deferred payment of all or part of our invoices beyond the stipulated due date. We are also entitled in case of non-payment or deferred payment of invoices, for whatever reason, to demand payment for the remaining supplies in advance of shipment, without prejudice to any other action we may decide to take. Article 1456 of the Italian Civil Code states that non-payment or deferred payment of the price or amount within the agreed terms is just cause for withdrawal from the contract and article 1460 of the Italian Civil Code states it is justification of the refusal to comply with any other contractual obligations and to cancel the shipment of any other orders, and this without entitling the Customer any refund or compensation for damages.

7. Solve et repete
There are no valid exceptions that the Customer may raise in order to defer or avoid payment, barring the nullity or withdrawal from the contract.

8. Retention of title
Should agreements envisage payment - whole or partial - after the delivery of the goods, all products that have been delivered remain our property until payment of the total amount has been received.

9. Guarantee and relevant arbitration clause
We guarantee our products comply with the current UNI-DIN-EN standards. **This guarantee applies to first choice material and is subject to a tolerance of 5% (five percent).**
The guarantee against defects does not apply to second or third choice or stock material and special sales lots.
GranitiFiandre collections consist of materials subject to variations in colour and/or veining, as they are natural products made by man. These materials are sold as seen and approved and any variations in colour and/or veining are considered quality features.
We are only liable for the polishing and smoothing carried out at our premises.
Any claims must be sent by registered letter to our registered offices at Castellarano (Reggio Emilia, Italy) before the materials are installed and within 10 days after taking delivery of the goods and prior to resale to third parties, on pain of forfeiture of the guarantee.
Article 1490 of the Italian Civil Code states that the installation of material invalidates any claim in case of obvious or hidden faults and any form of guarantee. Any variations in colour should not be considered a fault.
This guarantee contemplates the replacement of faulty material and does not include any further or different obligation.
Claims for faulty material do not entitle the Customer to suspend or defer full or part payment within the stipulated terms, according to paragraph 7 above.
Failure of the parties to settle a dispute by mutual accord with respect to faults, the right to guarantee, the assessment of damages and it quantification will result in the claim being submitted to Independent arbitration by a single arbitrator. His or her appointment and the arbitration proceedings will be subject to the regulations of the Arbitration Board at the Centro Ceramico Bologna (Italian Ceramic Center) and the parties will accept their decision unconditionally.

10. Unauthorised export
The Customer must not export any materials supplied by us or transfer them to companies or persons who intend to export them, unless agreed otherwise.

11. Competent court
Except for the provisions of paragraph 9, any dispute will be referred to the Court of Reggio Emilia (Italy).

12. Validity of each condition
The above general terms of sale are not to be considered merely standard terms. These conditions apply to all intents and purposes and faithfully represent the contractual intentions of the parties.

• We are only liable for polishing undertaken at our plants.

• Check and mix materials before laying. Claims will not be accepted for materials that have already been laid.

(DE) ALLGEMEINE VERKAUFSBEDINGUNGEN

1. Vertragsbestimmungen
Die vorliegenden allgemeinen Bedingungen regeln, außer bei eventuellen schriftlich vereinbarten Änderungen oder Abweichungen, alle Verkaufsverträge zwischen uns und dem Käufer, also sowohl den mit der Annahme der Bestellung abgeschlossenen Vertrag als auch jeden künftigen Vertrag bezüglich der Lieferung von Erzeugnissen unserer Gesellschaft, die mit folgenden und verschiedenen Aufträgen bestellt werden. Die Abänderungen der allgemeinen Verkaufsbedingungen, die Angebote, die Transaktionen, die Gutschriften oder die Preisnachlässe, die mit unseren Vertretern oder sonstigen Vermittlern vereinbart werden, sind nicht gültig, wenn sie nicht von unserer Hauptniederlassung schriftlich bestätigt worden sind und sie sind auf jeden Fall auf die Verträge, auf die sie sich beziehen, beschränkt.

2. Gegenstand der Lieferung
Die Lieferung umfasst nur die Leistungen, Materialien und Mengen, die in unserer Auftragsbestätigung oder in anderen von uns stammenden schriftlichen Mitteilungen genau angegeben sind. Der Text unserer Auftragsbestätigung ist in jedem Fall maßgeblich, falls dieser gegenüber dem Text des eventuellen Angebots oder der Bestellung abweicht. Die teilweise Ausführung der Bestellung, ohne vorhergehende Bestätigung, bedeutet nicht unsere Zustimmung für die gesamte Bestellung, sondern nur die teilweise Zustimmung bezüglich der gelieferten Ware. Auf jeden Fall kommt die Übergabe der Ware an den Frachtführer einer Annahme des neuen Vertragsangebotes durch den Käufer gleich. Falls im Auftragsangebot nicht anders angegeben, wird das Material in der normalen Stärke geliefert, das heißt **nicht extrastark** gegenüber den Angaben in unserem gültigen Katalog und in unserer Preisliste.

3. Auftragsbestätigung
Falls bei einzelnen Elementen unserer Auftragsbestätigung Abweichungen gegenüber den Vereinbarungen oder Bestellungen bestehen, muss der Käufer, der diese Abweichungen nicht innerhalb von zehn Tagen nach Empfang der Bestätigung, per Einschreiben beanstandet, die Auftragsbestätigung so akzeptieren, wie sie abgefasst worden ist.

4. Lieferungen
Die Ware reist, auch wenn sie „frei Ankunftsort" oder „frei Haus" des Käufers verkauft wird, auf Risiko und Gefahr des letzteren und jegliche Haftung unsererseits erlischt mit der Übergabe an den Transportunternehmer, gegenüber dem der Käufer - nach den entsprechenden Überprüfungen - eventuelle Reklamationen geltend machen muss. Die Bereitstellung der Ware, soweit sie zum Zeitpunkt der Bestellung verfügbar ist und vorbehaltlich der Angaben von Punkt Nr. 1, kann nie früher als drei Werktage nach Eingang der Bestellung bei uns verlangt werden. Bei Versendungen ins Ausland, auf dem See- oder Landweg, gelten die von Mal zu Mal gewählten Bedingungen, die in den, von der Internationalen Handelskammer im Jahre 1990 und in den Folgejahren anerkannten, "Incoterms" enthalten sind.

5. Liefertermine
Die festgesetzten Liefertermine verstehen sich zugunsten beider Vertragspartner. Soweit keine besonderen Bedingungen eingefügt sind, sind sie als ungefähr und nicht verbindlich anzusehen. Wenn Veränderungen am Vertrag vorgenommen worden sind, so verlängert sich die Frist um einen Zeitraum, der der anfänglich festgesetzten Frist entspricht. Jeder Fall von höherer Gewalt setzt die Frist für seine gesamte Länge aus. Falls in Folge von Fällen höherer Gewalt der Vertrag innerhalb von 60 Tagen nach Ablauf des Termins nicht zur Ausführung kommt, hat jede der beiden Parteien die Möglichkeit, vom Vertrag zurückzutreten. In diesem Fall muss die Rücktrittserklärung innerhalb von 10 Tagen nach Ablauf der oben genannten 60 Tage per Einschreibebrief mit Rückantwort an die Gegenseite geschickt werden; gegenseitige Ansprüche auf Schadenersatz oder Wiedergutmachung bleiben ausgeschlossen.

6. Zahlungen
Als Zahlungsort gilt unser Verwaltungssitz in Castellarano - Reggio Emilia (Italien), auch im Fall der Ausstellung von Tratten, Wechseln oder Bankakzepten: eventuelle Abweichungen hiervon sind nur mit unserer schriftlichen Bestätigung gültig. Für Materiallieferungen mit einem Gesamtbetrag von unter 1.550 euro (Tausendfünfhundertfünfzig) wird ein Bankakzept mit einer Laufzeit von 60 Tagen ab Rechnungsstellung ausgestellt, einschließlich Umsatzsteuer, unabhängig von den gewöhnlichen, dem Käufer vorbehaltenen Geschäftsbedingungen. Bei Beträgen, für die Ratenzahlung vorgesehen ist, wird die Umsatzsteuer in jedem Fall durch Bankakzept mit einer Laufzeit von 30 Tagen nach Rechnungsstellung eingezogen.
Der - auch teilweise - Verzug der vereinbarten Zahlungsfrist unserer Rechnungen hat, wie gesetzlich vorgesehen, unmittelbar eine Erhebung von Verzugszinsen zur Folge, die auf Basis des offiziellen Diskontsatzes plus 6 Punkte errechnet werden.
Darüber hinaus berechtigt uns eine, auch teilweise, Zahlungsverspätung oder Nichtzahlung der Rechnungen - aus jedwedem Grund -, unbeschadet anderer Maßnahmen, die Vorauszahlungen der verbleibenden Lieferungen zu verlangen. Die - auch teilweise - Nichtzahlung oder Zahlungsverzögerung der Rechnungspreise oder der Rechnungsbeträge innerhalb der vereinbarten Zahlungsfristen führt zur Auflösung des Vertrages gemäß Art. 1456 des ital. Bürgerlichen Gesetzbuches und rechtfertigt, in jedem Fall, gemäß Art. 1460 des ital. Bürgerlichen Gesetzbuches die Ablehnung, weitere eventuelle Vertragsverpflichtungen zu erfüllen, sowie die Annullierung eventueller sonstiger laufender Lieferungen, ohne dass dem Käufer daraus ein Anspruch auf Ausgleich, Schadenersatz oder anderes entsteht.

7. Solve et Repete
Außer bei Nichtigkeit, Annullierung und Aufhebung des Vertrages berechtigt den Käufer keine Einwendung zur Zahlungsverzögerung oder Nichtzahlung.

GENERAL SALES CONDITIONS

8. Eigentumsvorbehalt
In Fällen, in denen die Zahlung laut vertraglicher Vereinbarung ganz oder teilweise nach der Lieferung erfolgt, verbleibt die gelieferte Ware bis zur vollständigen Begleichung des Rechnungsbetrags unser Eigentum.

9. Garantie und Entsprechende Schiedsklausel
Die Garantieleistungen für unsere Materialien erfolgen in Übereinstimmung mit den derzeit geltenden UNI-DIN-EN-Richtlinien. **Unsere Garantie ist auf Materialien erster Wahl, mit einer Toleranz von 5% (fünf Prozent), begrenzt.**
Jegliche Mängelgarantie bleibt somit für Mindersortierungen, Stockware oder Sonderposten ausdrücklich ausgeschlossen. Die Kollektionen GranitiFiandre sind Materialien, die Farb- und/oder Äderungsabweichungen aufweisen können, da sie natürliche und von Menschen hergestellte Produkte sind. Dieses verkaufte, gesehene und angenommene Material zeigt hochwertige Eigenschaften, was die Farb- und/oder Äderungsvarianten der einzelnen Stücke betrifft. Eventuelle Reklamationen oder Beanstandungen sind, bei sonstigem Anspruchsverlusts, per Einschreiben ausschließlich unserem Verwaltungssitz in Castellarano - Reggio Emilia (Italien) in jedem Fall vor der Verlegung der Materialen und innerhalb der gesetzlichen Fristen von zehn Tagen ab dem Empfang der Ware und, auf jeden Fall, bevor die Ware an dritte Personen weiterverkauft wird, mitzuteilen. Die Verlegung des Materials hat den Verfall der Haftung und den Verzicht auf Garantie gemäß Art. 1490 des ital. BGB sowohl für offensichtliche als auch für versteckte Mängel zur Folge. Abweichungen des Farbtons können nicht als Materialmangel geltend gemacht werden. **In jedem fall umfasst unsere Garantie ausschliesslich den Ersatz des als Fehlerhaft Anerkannten Materials unter Ausschluss jeder Weiteren und hiervon abweichenden Haftung.**
Eventuelle Beanstandungen des Materials berechtigen den Käufer nicht, die Zahlungen zu den vereinbarten Terminen ganz oder teilweise, im Sinne des vorausgehenden Punkt 7, einzustellen oder zu verspäten.
Alle Streitfälle bezüglich der Ermittlung des Garantieanspruchs, der Schadensfestsetzung und -quantifizierung, die nicht auf gütlichem Wege unter den Parteien beigelegt werden können, werden dem nicht förmlichen Schiedsgerichtsverfahren eines Einzelschiedsrichters gemäß der Bestimmungen der beim Centro Ceramico Bologna (Italian Ceramic Center) eingerichteten Schiedsgerichtskammer übergeben. Die Parteien erklären, diese Verfahrensordnung bedingungslos und unanfechtbar zu akzeptieren.

10. Exportverbot
Wenn nicht anders vereinbart, ist dem Käufer der Export der ihm gelieferten Materialien oder die Überlassung derselben an Firmen oder Personen, die diese exportieren, untersagt.

11. Gerichtsstand
Unbeschadet der Bestimmungen laut Punkt 9 ist Gerichtsstand für alle Streitigkeiten ausschließlich Reggio Emilia.

12. Wirksamkeit Jeder Bedingung
Die oben wiedergegebenen allgemeinen Geschäftsbedingungen sind absolut nicht als reine formelle Klauseln zu verstehen. Sie sind wirksam und repräsentieren den tatsächlichen Geschäftswillen der Parteien.

• Wir haften nur und ausschließlich für die in unseren Werken ausgeführte Polierung.
• Das Material vor dem Verlegen prüfen und mischen. Es werden keine Beanstandungen akzeptiert, nachdem das Material bereits verlegt wurde.

(FR) CONDITIONS GÉNÉRALES DE VENTE

1. Dispositions du contrat
Sans préjudice de toute modification ou dérogation par écrit, les présentes conditions générales régissent tous les contrats de vente entre notre société et l'acheteur, c'est-à-dire aussi bien le contrat conclu dans le cadre de cette commande que tout autre contrat d'achat relatif aux produits de notre société, commandés par des bons de commande futurs et distincts.
Les modifications apportées aux conditions générales de vente, les offres, les négociations, les réductions ou les remises accordées par nos Agents ou autres intermédiaires, ne sont valables que si elles ont été acceptées par écrit par notre siège et uniquement pour les contrats auxquels elles se rapportent.

2. Objet de la fourniture
Par « fourniture », nous n'entendons que les services, les matériaux et les quantités spécifiés dans notre confirmation de commande ou dans d'autres communications écrites de notre société. En tout état de cause, le texte de notre confirmation de commande l'emportera sur le texte de l'offre ou de la commande, en cas de divergences. L'exécution partielle de la commande, sans confirmation préalable, n'implique pas l'approbation automatique de l'ensemble de la commande, mais seulement l'approbation partielle relative à la marchandise livrée. Dans ce cas, la remise de la marchandise au transporteur équivaudra à l'acceptation, de la part de l'acheteur, de la nouvelle proposition contractuelle.
Sauf mention différente sur le bon de commande, il est entendu que l'épaisseur du matériau faisant l'objet de la fourniture est l'épaisseur standard, c'est-à-dire **non majorée**, conformément à notre tarif et à notre catalogue en vigueur.

3. Confirmation de commande
Si notre confirmation de commande comporte des différences par rapport aux accords pris ou par rapport à la commande, le client est tenu de l'accepter telle quelle, dans la mesure où il n'a pas contesté ces différences par lettre recommandée dans les 10 jours à compter de la réception de la confirmation.

4. Livraisons
Même si elle est vendue « port payé jusqu'à destination » ou franco domicile, la marchandise voyage aux risques et périls du client. Notre responsabilité cesse au moment de la remise au transporteur. C'est à celui-ci que le client devra s'adresser pour toute réclamation, après avoir vérifié la marchandise.
Dans la mesure où la marchandise est disponible au moment de la commande, sa préparation ne pourra pas être exigée avant un délai de 3 jours ouvrables à compter de la réception de la commande, à l'exception de ce qui est prévu au point 1.
Les expéditions à l'étranger, par bateau ou par camion, se basent sur les conditions établies au cas par cas, conformément aux "incoterms" de la Chambre de Commerce Internationale, édition 1990 et suivantes.

5. Délais de livraison
Les délais de livraisons doivent être acceptés par les deux parties. Sauf clauses particulières, ce délai est purement indicatif et sans engagement.
En cas de modifications au contrat, le délai de livraison est reporté pour une durée égale à la durée prévue à l'origine.
Tout événement de force majeure suspend le délai de livraison pendant toute la durée de l'événement.
Si à la suite d'événements de force majeure, le contrat ne peut pas être exécuté dans les 60 jours suivant l'échéance convenue, chacune des deux parties aura la possibilité de résoudre le contrat. Dans ce cas, la déclaration de résolution devra être expédiée à l'autre partie par lettre recommandée avec accusé de réception, dans les 10 jours suivant l'échéance susvisée de 60 jours. La déclaration de résolution ne donne pas droit à des remboursements ou à des indemnisations.

6. Paiements
Le lieu de paiement est notre siège administratif sis à Castellarano - RE (Italie), y compris en cas d'émission de traites ou de RiBa (traites bancaires sans frais), c'est-à-dire des effets de change. Toute dérogation à cette clause devra être stipulée par écrit. Les livraisons inférieures à 1.550 euro (mille cinq cent cinquante) seront réglées par RiBa (traites bancaires sans frais) avec échéance à 60 jours date facture, TVA incluse, indépendamment des conditions réservées à l'acheteur. En cas de règlement en plusieurs versements, la TVA sera versée par RiBa (traites bancaires sans frais) avec échéance à 30 jours date facture.
Le retard de paiement, même partiel, de nos factures provoquera l'application immédiate d'intérêts de retard calculés au taux officiel de référence majoré de 6 points, conformément aux dispositions légales.
En outre, le non-paiement ou le retard de paiement, même partiel, quelle qu'en soit la raison, nous autorisera à prétendre le règlement anticipé des autres factures, sans préjudice de toute autre initiative. Le non-paiement ou le retard de paiement, même partiel, du prix ou du montant dans les délais établis, justifie la résolution du contrat, en vertu de l'article 1456 du code civil italien et, en tout état de cause, le refus d'exécuter les autres obligations contractuelles et l'annulation des autres commandes en cours, aux termes de l'article 1460 du code civil italien, sans que l'acheteur puisse prétendre à une quelconque indemnité ou remboursement.

7. Solve et repete
Aucune exception, hormis celles de nullité, d'annulabilité et de résolution du contrat, ne peut être soulevée par l'acheteur dans le but de retarder ou d'éviter le paiement.

8. Reserve de propriete
En cas d'accords prévoyant le paiement, en tout ou partie, après la livraison, la marchandise livrée reste notre propriété jusqu'au paiement intégral du prix.

9. Garantie et clause compromissoire
Nos produits sont conformes aux normes UNI-DIN-EN en vigueur. **Notre garantie ne couvre que les matériaux de premier choix, avec une tolérance de 5% (cinq pour cent).**
Toute garantie pour vices est expressément exclue pour les matériaux de deuxième ou de troisième choix, ou pour les stocks et lots d'occasion.
En tant que produits de la nature et de l'homme, les collections GranitiFiandre sont des matériaux sujets à des variations de couleur et/ou de veine. Ces matériaux sont réputés vus et approuvés au moment de l'achat. Les différentes pièces présentent des caractéristiques de grande valeur au niveau des couleurs et/ou des veines.
Notre responsabilité se limite au polissage et au pustrage effectués dans nos établissements.
Toute réclamation et contestation devra être adressée, sous peine de déchéance, par lettre recommandée, uniquement auprès de notre siège administratif sis à Castellarano (RE, Italie), avant la pose du matériau et, en tout état de cause, dans le délai de rigueur de 10 jours à compter de la réception du matériau et, quoi qu'il en soit, avant la vente à des tiers.
La pose du matériau entraîne la déchéance de toute action pour vices apparents ou cachés, impliquant la renonciation implicite à la garantie visée à l'art. 1490 du code civil italien.
Les différences de tonalité ne peuvent pas être considérées comme un vice du matériau.
Dans tous les cas, notre garantie se limite au remplacement du matériau jugé défectueux et exclut toute autre obligation.
Toute contestation sur le matériau ne donnera pas droit à l'acheteur de suspendre ou de retarder, en tout ou partie, le paiement dans les conditions prévues, conformément à l'article 7 ci-dessus.
Tout différend relatif à l'existence des vices, à l'attestation du droit à la garantie, à l'estimation des dégâts et à leur quantification, impossible à régler à l'amiable entre les parties, sera soumis à l'arbitrage facultatif d'un arbitre unique. Celui-ci sera désigné conformément au règlement de la chambre d'Arbitrage de Centro Ceramico Bologna (Italian Ceramic Center), que les deux parties déclarent accepter sans conditions et sans appel.

10. Interdiction d'exporter
Sauf accords contraires, il est interdit à l'acheteur d'exporter les matériaux fournis ou de les céder à des sociétés ou à des personnes en vue d'une exportation.

11. Tribunal competent
Sans préjudice des dispositions visées au point 9, le tribunal de Reggio Emilia est le seul compétent en cas de litiges.

12. Effectivité des conditions
Les conditions générales de vente susvisées ne doivent pas être réputées des clauses de pur style. Elles produisent un effet et représentent fidèlement la volonté de négociation des parties.

• Nous ne sommes responsables que du doucissage effectué dans nos établissements.
• Contrôler et mélanger le matériau avant la pose. Aucune contestation ne sera acceptée une fois que le matériau aura été posé.

(ES) CONDICIONES GENERALES DE VENTA

1. Normativa para la contratación
Las condiciones generales aquí detalladas, salvo posibles modificaciones o excepciones acordadas por escrito, regulan todos los contratos de venta celebrados entre nuestra empresa y el comprador, y por consiguiente, tanto el contrato concluido al aceptar el presente pedido, como cualquier futuro contrato de suministro de los productos de nuestra empresa que se solicitarán con sucesivos y distintos pedidos. Las variaciones de las condiciones generales de venta, las ofertas, las transacciones, los abonos o los descuentos, acordados por nuestros Agentes u otros intermediarios, no se consideran válidos si nuestra sede no los ha aceptado por escrito, limitándose, en cualquier caso, a los contratos a los que se refieren.

2. Objeto del suministro
El suministro contempla solamente las prestaciones, los materiales y las cantidades especificados en nuestra confirmación de pedido o en otras comunicaciones escritas por nuestra empresa. El texto de nuestra confirmación de pedido siempre prevalecerá en caso de que el texto de la oferta o del pedido sea diferente. La ejecución parcial del pedido sin previa confirmación no significa que se aprueba la totalidad del pedido, sino que nuestra aprobación es parcial respecto a la mercancía entregada.
En dicho caso, la entrega de la mercancía al transportista hará que el comprador apruebe la nueva propuesta contractual. Excepto donde sea especificado en forma distinta en la propuesta de pedido, queda entendido que el espesor del material a suministrar será el normal, o sea **no de espesor sobredimensionado**, con respecto a lo indicado en nuestra lista de precios y nuestro catálogo en vigor.

3. Confirmación de pedido
En caso de que en los distintos elementos que componen nuestra confirmación de pedido existan diferencias respecto a los acuerdos o los pedidos, el comprador que no haya manifestado disconformidad respecto a dichas diferencias mediante carta certificada, enviada en los diez días siguientes a la recepción de la confirmación, quedará obligado a aceptarla tal y como ha sido redactada.

4. Entregas
La mercancía, aunque sea vendida "transporte pagado hasta el lugar de destino", o hasta el domicilio del comprador, viajará bajo la total responsabilidad de este último, terminando nuestra responsabilidad al efectuar la entrega al transportista, al que el comprador - tras efectuar las oportunas comprobaciones - deberá presentar las reclamaciones que fueran necesarias. La preparación de la mercancía, siempre que la misma esté disponible en el momento de efectuarse el pedido y sin perjuicio de lo previsto en el punto 1, no podrá exigirse antes de 3 días laborables desde la recepción del mismo pedido por nuestra parte. Los transportes, tanto por mar como por tierra, de mercancías al extranjero, se efectuarán de acuerdo con las condiciones elegidas en su momento, citadas en los "incoterms" aprobados por la Cámara de Comercio Internacional en 1990 y los siguientes.

5. Plazos de entrega
Para el plazo de entrega deben acordarse ambas partes contratantes. Siempre que no hayan sido incluidas cláusulas especiales, éste es a título puramente indicativo y no representa una condición indispensable. Cuando se modifique el contrato, el plazo quedará prorrogado durante un periodo igual al establecido en un principio. Todo evento de fuerza mayor interrumpirá el efecto de dicho plazo por toda la duración de éste. Si, como consecuencia de eventos de fuerza mayor, el contrato no pudiera ejecutarse en los 60 días siguientes al plazo pactado, cada una de las dos partes tendrá la facultad de rescindir el mismo contrato. En dicho caso, la declaración de rescisión deberá enviarse a la otra parte mediante carta certificada con acuse de recibo, en los 10 días siguientes al vencimiento de los antedichos 60 días, quedando excluidos los recíprocos derechos a la indemnización o reparación de los daños sufridos.

6. Pagos
El lugar de pago queda fijado en nuestro Domicilio Administrativo de Castellarano (Reggio Emilia, Italia), también en caso de emisión de efectos o letras de cambio, o de libramiento de efectos cambiarios: toda excepción a lo indicado arriba sólo se considerará válida si hemos expresado nuestro acuerdo por escrito. Para los suministros de materiales cuyo importe sea inferior a 1.550 euro (mil quinientos cincuenta), se emitirá un recibo bancario con vencimiento a 60 días desde la fecha de la factura, I.V.A. incluido, independientemente de las condiciones normales reservadas para el comprador. Para los pagos previstos en varios plazos, el importe del I.V.A. se cobrará, en cualquier caso, mediante letra de cambio con vencimiento a 30 días desde la fecha de la factura. Un retraso en el pago, aun cuando fuera parcial, de nuestras facturas, sobrepasando el vencimiento pactado, devengará, de acuerdo con lo dispuesto por la Ley, un cargo inmediato de intereses de demora, calculados según el tipo oficial de referencia con un aumento de 6 puntos. Además, el impago o retraso en el pago, aun cuando fuera parcial, de las facturas - sea cual fuera la razón - nos dará derecho, quedando pendiente cualquier otra iniciativa, a exigir el pago anticipado de los suministros por hacer. El impago o retraso en el pago, aun cuando fuera parcial, del precio o la remuneración, dentro de los plazos pactados será causa de resolución, de acuerdo con el art. 1456 del Código Civil italiano, del contrato al que se refiere y justificará en cualquier caso, de acuerdo con el art. 1460 del Código Civil italiano, el rechazo a cumplir otras posibles obligaciones contractuales, así como la anulación del despacho de otros posibles pedidos pendientes, sin que el comprador pueda exigir retribuciones, indemnizaciones u otro.

7. Solve et repete
El comprador no podrá oponer objeciones, salvo las de nulidad, anulabilidad y rescisión del contrato, con el fin de retrasar o evitar el pago.

8. Reserva de dominio
En caso de que el pago, por acuerdos contractuales, deba efectuarse - total o parcialmente - después de la entrega, los productos entregados seguirán siendo de nuestra propiedad hasta que se efectúe el pago total del precio.

9. Garantía y relativa cláusula compromisoria
Nuestros materiales están garantizados de acuerdo con las normas UNI-DIN-EN vigentes. **Nuestra garantía se limita a los materiales de primera calidad, con una tolerancia del 5% (cinco por ciento).** Queda, pues, excluida expresamente cualquier garantía por defectos para los materiales de segunda y tercera calidad o de stock y para los lotes ocasionales.
Las colecciones GranitiFiandre son materiales sujetos a variaciones de colores y/o de vetas, por ser productos creados por la naturaleza y el hombre. Dichos materiales, vendidos "vistos y aceptados", presentan características de gran valor por lo que respecta a las variaciones de colores y/o de vetas de las distintas piezas. Se responderá, única y exclusivamente, del pulido y el lustrado llevados a cabo en nuestras fábricas. Todas las posibles reclamaciones deberán notificarse, so pena de caducidad, mediante carta certifica, únicamente a nuestro Domicilio Administrativo de Castellarano (Reggio Emilia, Italia), antes de la colocación del material y, en cualquier caso, antes del plazo perentorio de 10 días desde la recepción del material y siempre antes de su sucesiva venta a terceros. La colocación del material determina la caducidad de la acción por defectos, ya sean éstos visibles o invisibles, ocasionando la renuncia implícita a la garantía, en virtud del art. 1490 del Código Civil italiano.
Las diferencias cromáticas no podrán denunciarse como defecto del material.
Nuestra garantía comprende únicamente la sustitución del material considerado defectuoso, quedando excluida cualquier otra obligación.
Las posibles reclamaciones sobre el material no darán derecho al Comprador a interrumpir o retrasar, ni total, ni parcialmente, el pago que tendrá que efectuarse en los plazos pactados, en virtud del anterior artículo 7.
Todas las cuestiones relativas a la comprobación de los defectos y el derecho a la garantía, así como a la determinación del daño y su cuantificación, que no puedan arreglarse amistosamente entre las partes, se someterán al arbitraje libre de un árbitro único, a constituirse y desarrollarse según el reglamento del Tribunal Arbitral instituido en el "Centro Ceramico Bologna" (Italian Ceramic Center), que las partes declaran aceptar de forma incondicional e inapelable.

10. Prohibición de exportación
Siempre que no existan acuerdos contrarios, se prohíbe al Comprador exportar los materiales que le suministre nuestra empresa, o cederlos a empresas o personas que los exporten.

11. Tribunal competente
Establecido lo dispuesto en el punto 9, será exclusivamente competente para todas las controversias el Tribunal de Reggio Emilia.

12. Efectividad de cada condición
Las condiciones generales de venta detalladas arriba forman parte integrante del contrato. Éstas son efectivas y representan fielmente la voluntad de negociación de las partes.

• Se garantiza exclusivamente el pulido realizado en nuestra fabrica.
• Controlar y mezclar el material antes de la colocación en obra. No se aceptan reclamaciónes del material una vez colocado.

First edition - 09/2024
GFCABMX24
Fiandre all right reserved

GranitiFiandre si riserva il diritto di apportare, qualora lo ritenesse opportuno, eventuali modifiche tecniche e formali ai dati riportati in questo catalogo. La riproduzione di colori è approssimativa. Tutti i diritti sono riservati. Ogni riproduzione totale o parziale dei contenuti del presente catalogo, sia di testo che di immagine, è vietata e sarà perseguita in termini di legge.

GranitiFiandre reserves the right to modify technical and formal details included in this catalogue. Colours reproductions are approximate. All rights are reserved. Total or partial reproduction of text or illustrations of this catalogue is prohibited and is subject to legal sanctions.

GranitiFiandre behält sich ausdrücklich das Recht vor technische Änderungen vorzunehmen. Farbdruckwiedergabe Unverbindlich. Alle Rechte sind vorbehalten. Der vollständige oder auszugsweise Nachdruck des Inhalts dieses Kataloges in Schrift und Bild ist verboten und wird nach Maßgabe des Gesetzes geahndet.

GranitiFiandre se réserve le droit d'apporter, si nécéssaire, des Modifications techniques et formelles aux informations presénstes en ce catalogue. reproduction de couleurs sont approximative. Tous les droits sont réservés. Toute reproductions totale ou partielle du contenu - textes et images - du présent catalogue est interdite et constituerait une contrefaçon sanctionnée par la loi.

GranitiFiandre se reserva el derecho de efectuar, en el caso que sea oportuno, eventuales modificaciónes tecnicas y/o formales a los datos que aparecen en este catalogo. La reproducción de colores es aproximada. Todos los derechos están reservados. Cualquier reproducción total o parcial de los contenidos de este catálogo, ya sea texto o las ilustraciones está prohibido y será perseguida de conformidad con la ley.

FIANDRE
for unique expressions

A BRAND OF IRIS CERAMICA GROUP

via Radici Nord, 112
42014 Castellarano (RE) Italy
tel. +39 0536 819611
info@granitifiandre.com
www.granitifiandre.com

granitifiandre.com/pdfapp

PROUDLY ITALIAN

FIANDRE

granitifiandre.com

A BRAND OF IRIS CERAMICA GROUP