

Silk Road  
**WILD SILK**



THICKNESS  
8 mm


FINISH  
Matte

Rectified

COLOR / SHADE  
VARIATIONS  
V2

ASTM C1028  
Dry  $\geq 0.75$   
Wet  $\geq 0.60$   
(Honed)

DCOF AcuTest<sup>sm</sup>  
Wet  $\geq 0.42$   
(Honed)




24"x24"  
**TM001G24**

12"x24"  
**TM001G124**


6"x24"  
**TM001G624**



Recycled Content  
Post Consumer: 6%  
Pre Consumer: 32%



BULLNOSE 3"x12"  
**TM001G312B**



COVEBASE 6"x12"  
**TM001G612C**

ALL SIZES ARE NOMINAL



Commercial application



# Silk Road

## SOFT SILK



THICKNESS  
8 mm

FINISH  
Matte

Rectified

COLOR / SHADE  
VARIATIONS  
V2

ASTM C1028  
Dry  $\geq 0.75$   
Wet  $\geq 0.60$   
(Honed)

DCOF AcuTest<sup>sm</sup>  
Wet  $\geq 0.42$   
(Honed)




24"x24"  
**TM007G24**

12"x24"  
**TM007G124**


6"x24"  
**TM007G624**



Recycled Content  
Post Consumer: 6%  
Pre Consumer: 32%



BULLNOSE 3"x12"  
**TM007G312B**



COVEBASE 6"x12"  
**TM007G612C**

ALL SIZES ARE NOMINAL



Commercial application

